

## **User manual of Information system**



## **Mobile Application IM Gas**

This document and its content are confidential. It is forbidden to reproduce the document or its parts, to show it to third parties or to use it for any other purposes than it was provided for without prior written agreement by OTE, a.s.

**2019 OTE, a.s.**

Date of revision:  
31.1.2024

Document name:  
**Mobile application IM Gas**

## Content

<b>1.1</b>	<b>Creating mobile access request.....</b>	<b>4</b>
1.1.1	Direct activation with access to CS OTE portal.....	6
1.1.2	Administrator Activation (user with role RMP Administrator).....	13
1.1.3	User login.....	20
1.1.4	Profile Login .....	21
<b>1.2</b>	<b>Transfer of Signing Certificate to the mobile device .....</b>	<b>21</b>
1.2.1	Preparing to export a certificate stored in master data on a PC .....	21
1.2.2	Activating Local Storage.....	22
1.2.3	Importing certificate to the mobile device.....	25
<b>1.3</b>	<b>Screens headers.....</b>	<b>28</b>
<b>1.4</b>	<b>Control elements .....</b>	<b>28</b>
<b>1.5</b>	<b>Market screen .....</b>	<b>29</b>
1.5.1	Create Order screen.....	30
<b>1.6</b>	<b>Reports Screen.....</b>	<b>31</b>
1.6.1	Reports control.....	32
<b>1.7</b>	<b>Trades screen.....</b>	<b>33</b>
<b>1.8</b>	<b>Trading History screen .....</b>	<b>34</b>
<b>1.9</b>	<b>Orders screen.....</b>	<b>36</b>
1.9.1	Modify Order screen.....	36
<b>1.10</b>	<b>Audit log screen .....</b>	<b>38</b>
<b>1.11</b>	<b>User logout .....</b>	<b>39</b>

## List of Pictures

Fig. 1 – Mobile access request creation scheme .....	6
Fig. 2 – Direct activation – Web portal CS OTE – Device management .....	6
Fig. 3 – Direct activation – Web portal CS OTE – Activation wizard .....	7
Fig. 4 – Direct activation – Web portal CS OTE .....	7
Fig. 5 – Acceptance of license terms .....	8
Fig. 6 – Direct activation – Mobile app – Login screen .....	9
Fig. 7 – Direct activation – Mobile app – New profile .....	9
Fig. 8 – Direct activation – Mobile app – Activation code .....	10
Fig. 9 – Direct activation – Mobile app – Creating a profile .....	11
Fig. 10 – Direct activation – Web portal – step 2 .....	12
Fig. 11 – Direct activation – Web portal – Device detail .....	12
Fig. 12 – Administrator Activation – Web portal – Device management .....	14
Fig. 13 – Administrator Activation – Web portal– Devices management .....	14
Fig. 14 – Administrator Activation – Web portal .....	15
Fig. 15 – User activation with support of the Administrator - Mobile App – New profile .....	15
Fig. 16 - User activation with support of the Administrator - Mobile App – Profile information .....	16
Fig. 17 – Administrator Activation – E-mail with Activation QR code .....	16
Fig. 18 – Scanning QR code Screen .....	17
Fig. 19 – Administrator Activation – New profile – Typing QR code .....	17
Fig. 20 – New Profile Information (suspended yet) .....	18
Fig. 21 – Administrator Activation – Web portal .....	19
Fig. 22 – Administrator Activation – Device detail .....	20
Fig. 23 – Acceptance of the IM gas license agreement .....	20
Fig. 24 – Available Profiles .....	21
Fig. 25 – Certificate Export – Web portal .....	22
Fig. 26 – Importing qualified certificate into Local Storage .....	23
Fig. 27 – Certificate Export - Entering the password for certificate transmission .....	24
Fig. 28 – Certificate Export – QR codes generated by computer .....	24
Fig. 29 – Imported Certificate information .....	25
Fig. 30 – Certificate Export – Mobile app – Scanning QR codes .....	26
Fig. 31 – Imported certificate .....	27
Fig. 32 – Screens headers .....	28
Fig. 33 – Market screen .....	29
Fig. 34 – Create Order screen .....	30
Fig. 35 – Reports screen .....	31
Fig. 36 – Report Orders Overview - header .....	32
Fig. 37 – Trades screen .....	33
Fig. 38 – Trading History .....	34
Fig. 39 – Orders screen .....	36
Fig. 40 – Modify Order screen .....	37
Fig. 41 – Screen Audit log .....	38
Fig. 42 – User Log out .....	39

## List of Abbreviations

Abbreviation	Meaning
--------------	---------

<b>CS OTE</b>	Central system OTE
<b>OTE</b>	Company OTE, a.s.

2019 OTE, a.s.

Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas

Abbreviation	Meaning
--------------	---------

PC	Personal Computer
----	-------------------

## 1.1 Creating mobile access request

- To create Mobile Access request the access to portal CS OTE (<https://portal.ote-cr.cz>) with valid certificate is required. This is either by the user requesting access or by the **RMP master data administrator**. In addition, on-line access for mobile devices is essential (Wi-Fi, GPRS, ...).
- The basic method is **Direct activation** - 1.1.1 with immediate access from the mobile application. This method is applicable to an already existing user with a valid certificate who will establish access for himself.

<https://play.google.com/store/apps/details?id=cz.otecr.mobile.vdp.production>



Direct activation is possible for persons registered in the CS OTE portal. Roles with the roles listed below:

2019 OTE, a.s.

Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas

Roles related to IM gas Application	
<b>Passive access</b>	- EmtasGMIImTsAcc - <i>Přístup k VDT plyn prostřednictvím mobilní aplikace/ Access to VDT via IM gas</i> - EmtasGImTsAcc - <i>Přístup k obchodovací obrazovce VDT / Access to IM gas trading screen</i>
<b>Active access</b>	- EmtasGMIImTsAcc - <i>Přístup k VDT plyn prostřednictvím mobilní aplikace/ Access to VDT via IM gas</i> - EmtasGImTsAcc - <i>Přístup k obchodovací obrazovce VDT / Access to IM gas trading screen</i> - EmtasGMIImTsMod - <i>Modifikace dat pro VDT plyn prostřednictvím mobilní aplikace/ Modification of data via IM gas</i> - EmtasGImTsMod - <i>Modifikace dat na obchodovací obrazovce VDT/ Modifying data on the IM trading screen</i>
<b>Access to reports</b>	- Sfvotreporty - <i>Přístup na reporty / Access to reports</i> - SfvotreportyOTE - <i>Přístup na reporty OTE / Access to OTE reports</i>

- Another option is **Activation by the administrator** - 1.1.2 (person with *RMP Administrator* role). It is also applicable to users who do not have a valid certificate in CS OTE provided that the activating administrator has a valid certificate registered in CS OTE.
- It is not possible to use the IM gas application without transferring the certificate from CS OTE (description of local storage activation is described in chapter [Administrator Activation \(user with role RMP Administrator\)](#)). In the case of using a certificate on a Token or other hardware storage, the export of the certificate is not possible and must be uploaded to the storage first ([Activating Local Storage](#)).




Fig. 1 – Mobile access request creation scheme

### 1.1.1 Direct activation with access to CS OTE portal

- To create mobile access by direct activation, first login to the CS OTE web portal (<https://portal.ote-cr.cz>).
- Menu **Registration** choose **Mobile access – Device management**.




Fig. 2 – Direct activation – Web portal CS OTE – Device management

- Now press the button **New Activation**. You will see Device Detail, where your user account will be listed in the Person ID. If you have the *RMP Data Manager* role, you can click on the Person ID and select another person from your company under which an editable email will be listed.
- To start activating your mobile device, click the Activation Wizard ([Fig. 3 – Direct activation – Web portal CS OTE – Activation wizard](#)).




Fig. 3 – Direct activation – Web portal CS OTE – Activation wizard

- After pressing the **Activation Wizard** button a page with generated QR code will be displayed for activating Mobile device:



Fig. 4 – Direct activation – Web portal CS OTE

- Now you need to transfer your activation QR code to your mobile device until certain time, which is listed in the field **Activation valid until** (Fig. 4).

## Mobile device – mobile application OTE IM Gas

- Open the IM gas mobile app on your mobile device.

When you start a newly installed application, you are asked to agree to the License Terms (Fig. 5 – Acceptance of license terms). These terms have to be confirmed otherwise it will not be allowed to access the application:




Fig. 5 – Acceptance of license terms

- The User profiles screen is then displayed (Fig. 6 – Direct activation – Mobile app – ), where we click **New Profile**.




Fig. 6 – Direct activation – Mobile app – Login screen




Fig. 7 – Direct activation – Mobile app – New profile

- Enter the generated QR code in the **Activation code** field.

This code can be detected by the camera or entered manually:



- Press . Your mobile device's camera will start (Fig. 8). Point the camera at the QR code screen. The mobile device records the code, which is usually reflected in the device's vibration.
- The second option is to type the **Activation Code** itself (located on CS OTE web portal) to the field **Activation code**.



Fig. 8 – Direct activation – Mobile app – Activation code

- Enter a name for the new profile in the **Profile Name** field.
- Create a Password that contains at least 4 characters and repeat it in the Password field again. The password you enter is used to secure your profile and certificate against unauthorized use.
- Clicking **Create profile** (Fig. 7) you create new, not yet approved profile in the IM gas mobile app (Fig. 9 – Direct activation – Mobile app – ).



**Profile Activation**

Profile name  
[Redacted]

Registration status  
**INACTIVE**

Info  
Profile is not active, finish registration at CS OTE web portal

Hash  
13F9681C0C96CA3CE8A1E82D84492B030FD1F9D0

X CLOSE

Fig. 9 – Direct activation – Mobile app – Creating a profile

- After you create a new profile on a mobile device, the Activation Wizard page on the web portal automatically goes to a point that requires accepting or rejecting the link for that mobile device to this account on CS OTE (Fig. 10 – Direct activation – Web portal – step 2)

Fig. 10 – Direct activation – Web portal – step 2

- It is **recommended** to check that the red-framed codes in Fig. 9 and Fig. 10 are the same on the mobile device and in the CS OTE web portal
- Click **Accept** (Fig. 10) and sign with your certificate .
- After pressing the **Accept** button and confirmation by **signature** the mobile device is paired and from now is clearly identifiable for CS OTE. Now your account is in the "**Suspended**" status and your mobile device can't sign in to the mobile app yet. The **Mobile Device Detail** appears on the portal: (Fig. 11 – Direct activation – Web portal – Device detail)

Fig. 11 – Direct activation – Web portal – Device detail

- Having the RMP Administrator role, you now see the **Allow Access** button. Press it to allow the mobile device access the IM OTE network. Continuation – 1.1.3 User login

2019 OTE, a.s.

Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas


- If you don't see the **Allow Access** button on the page, please contact the *RMP Administrator* for your company who can activate this account by clicking **Allow Access** on the **Mobile Detail** page.

----- person with role RMP Administrator -----

Log in to **CS OTE**, menu **Registration / Mobile access / Device management**

Clicking on the record will display the **Mobile Device Detail** and

at the bottom of the screen, you can see the **Allow access** button, which when pressed will give your account an "**Approved**" status and mobile device can be used normally in mobile IM.



The screenshot shows a table with columns: Public key SHA-1, Status, and Paused. The 'Status' column contains the value 'Paused'. At the bottom right of the table, there are two buttons: 'Allow access' (highlighted with a red box) and 'Cancel'.

Pressing button **Allow access** activate possibilities for Access suspension, Account deactivation, or Certificate export - see below.

- Now the account is in the Approved status and the direct activation is completed successfully. The mobile application can be logged in and after the import of a valid qualified certificate registered in CS OTE, the mobile application can be fully used.

### 1.1.2 Administrator Activation (user with role RMP Administrator)

- Administrator activation for another user registered in master data is applicable to a user who may or may not have a certificate to access CS OTE. Activation is performed in three steps.

#### 1st step – Administrator

- Log in to the portal CS OTE (<https://portal.ote-cr.cz>).
- Menu **Registration** choose **Mobile access – Device management**.




Fig. 12 – Administrator Activation – Web portal – Device management

- After selecting **New activation**, the **Device detail** is displayed on the page.
- Select a person from the list: **Person ID** - the ID of the person for whom you are creating mobile access. When you select the desired user, an **email** field appears that can be left or changed (Fig. 13 – Administrator Activation – Web portal– ).




Fig. 13 – Administrator Activation – Web portal– Devices management

- After selecting the person and possibly changing the email, click on the Activation Wizard (Fig. 13).
- A message containing a QR code designed to activate your mobile device has been sent to the email. The system now waits for one hour to retrieve the QR code of the selected user as the second part of the activating new profile in the mobile app (Fig. 14).




Fig. 14 – Administrator Activation – Web portal

The person with the mobile device must transfer the QR code (**2.step - lower**) from the activation email to the activation process of the mobile application (see above). The code must be loaded and paired with CS OTE within one hour, otherwise the activation will expire and the activation process must be repeated.

## **2nd step – user setting up a profile on their mobile device**

- Open the IM gas mobile app.
- When launching the newly installed application, the screen Acceptance of License terms will be displayed ([Fig. 5 – Acceptance of license terms](#)). The access to the app is not possible unless the acceptance of License terms is confirmed.
- Click **New profile**.




Fig. 15 – User activation with support of the Administrator - Mobile App – New profile




Fig. 16 - User activation with support of the Administrator - Mobile App – Profile information

- In the Activation Code field, enter the QR code from the email sent by your administrator (Fig. 17):

## Device activation

Activate device with generated activation code or qr code.

**Activation code : EV5VDCP4GOVA7PB2**



Fig. 17 – Administrator Activation – E-mail with Activation QR code


- Click  on the mobile device to launch the camera of your mobile device (Fig. 16 - User activation with support of the Administrator - Mobile App – Profile information). Point the camera at the QR code screen. The mobile device records the code, which is usually reflected in the device's vibration



Fig. 18 – Scanning QR code Screen

The second option is to copy the **Activation Code** itself (from the CS OTE web portal) to the field **Activation code**.

## Device activation

Activate device with generated activation code or qr code.

Activation code: **EV5VDCP4GOVA7PB2**



Fig. 19 – Administrator Activation – New profile – Typing QR code

- Enter a name for the new profile in the **Profile Name** field.
- Create a **Password** that contains at least 4 characters and repeat it in the **Password** field **again**. The password you enter is used to secure your profile and certificate against unauthorized use.

Clicking **Create profile** (Fig. 7) you create a new, not yet approved profile in the Im gas mobile app.




Fig. 20 – New Profile Information (suspended yet)

### **3. step – Administrator**

- After you create **New profile** on a mobile device, the Activation Wizard page on the RMP master data web portal automatically goes to the point where it can be checked which application was triggered and the public key fingerprint on the mobile device and CS OTE portal:

Fig. 21 – Administrator Activation – Web portal

- **We recommend checking**

- **1. Application** –whether it contains the desired application for which the activation is to be performed
- **2.** If the red-framed codes (Fig. 20 – New Profile Information (suspended yet) and 2 (Fig. 21 – Administrator Activation – Web portal) displaying the public key fingerprint are identical on the mobile device and in the CS OTE web portal.

- By clicking on **Accept** (Fig. 21 – Administrator Activation – Web portal) and signing with certificate, the mobile device of the user for whom you approve mobile access is clearly identifiable for CS OTE. However, this profile is currently suspended and cannot be signed in.
- At the same time, CS OTE also displays the **Mobile Device Detail** in Device Manager, where after checking the linked application it is possible to allow access of the mobile device to the IM network by clicking on the **Allow access** (Fig. 22 – Administrator Activation – Device detail).

2019 OTE, a.s.

Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas

Device detail

Person id

Email\*

Phone model

MSM8916

Profile name

Application

IM with gas

Model

SM-A300FU

Creation date and time

11/29/2019 09:20:44

Deactivation time

Public key SHA-1

13F9681C0C96CA3CE8A1E82D84492B030FD1F9D0

Device unique id

7cae253224cd83fc

Brand

samsung

Access Type

A

Manufacturer

samsung

Activation date and time

11/29/2019 09:22:07

Last login time

Status

Paused

Allow access

Cancel

Fig. 22 – Administrator Activation – Device detail

### 1.1.3 User login

When you start a newly installed application, you are asked to agree to the License Terms. These terms have to be confirmed otherwise it will not be allowed to access the OTE IM Gas application:




Fig. 23 – Acceptance of the IM gas license agreement

2019 OTE, a.s.

Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas

### 1.1.4 Profile Login

To sign in to the app, select your profile and enter your password on the mobile app home screen.




Fig. 24 – Available Profiles

- The first time you start the application, the Setup Wizard is launched automatically after login. You need to set the PIN - by entering and repeating it on the displayed numeric keypad and import the certificate (Transfer of the signing certificate to the mobile device). If this process is not completed, it will automatically start the next time IM gas is started until both steps are performed correctly.

## 1.2 Transfer of Signing Certificate to the mobile device

The process of certificate transfer from the CS OTE system requires the simultaneous use of both PC and mobile device.

The following chapters describe how to upload a signing certificate to Local Storage and transfer it to a mobile device.

### 1.2.1 Preparing to export a certificate stored in master data on a PC


- Log in to the web portal CS OTE (<https://portal.ote-cr.cz/otemarket/>).

To transfer your certificate to a mobile device, it is necessary to have the certificate uploaded to Local Storage. („how to“ is described below).

- Menu **Registration** choose **Mobile Access – Certificate Export**:




Fig. 25 – Certificate Export – Web portal

- Enter your local storage password – LS (in case the LS is not used, a message about the password not being set is displayed:  )
- To **transfer the certificate** to the mobile device, **the LS must be activated** - see the following chapter.  
(In case of logging into LS and displaying the statement of certificates please skip 1.2.2 Local Storage activation.)

## 1.2.2 Activating Local Storage

Menu **Registration** choose **Certificate management – Settings of certificates**

- At the bottom of the page, click the Initialize local storage bar : 
- After entering, repeating the Password and saving, the local storage page is displayed.


2019 OTE, a.s.

Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas

Now it is necessary to upload a certificate for transmission that is **qualified**, must **contain a private part** and is **registered in CS OTE** by clicking on **1.Select file**. After selecting the file **xxxxx.p12** and entering the password for this certificate, click **2.Add**.

*(The private part is not sent to the server - it is stored locally in the browser directory with PKCS # 12 security. After the certificate is transferred to the mobile device, the private part of the certificate can be deleted from the browser.)*



OTE PKI Component

Add new certificate

Certificate's PRIVATE KEY - format p12/pfx Choose file 1.

Password of the certificate's private key \*

The private key is not uploaded on server into CS OTE system. It is stored in local storage of your browser only and it is protected by PKCS#12 file.

Add 2.

Imported certificates in local storage

Default certificate	DN	Valid from	Valid to	Serial number	Certification authority
Show certificate selection when signing <input checked="" type="checkbox"/>					

Password change for local certificate storage

Contact | Lin | News | Print page

Fig. 26 – Importing qualified certificate into Local Storage

- The following screen lists the certificates that can be transferred from the Local Certificate Store to your mobile device (Fig. 27 – Certificate Export - Entering the password for certificate transmission).
- Clicking **Export QR**, which is located in the last column of the table for the given certificate, will start the process of transfer using QR codes .
- You will then be prompted to enter the **password** and repeat it to transfer the certificate. The **password** is required when saving the certificate to a mobile device and is used to secure the certificate against unauthorized use.

DN	Valid from	Valid to	Serial number	Certification authority
C=CZ, OU=P593122, CN=Bc. Ing. Jiří Dvořáček, SN=Dvořáček, G=Jiří, serialName=P593122	04/30/2019 09:43:21	05/19/2020 09:43:21	4dbb43	C=CZ, O=Česká pošta, s.p. [IČ 47114983], CN=PostSignum Qualified CA 3

Due to safety reasons it is necessary to protect the certificate by the password. You will be asked for this password while storing the certificate into mobile app. In the case of pressing button "Next" the same password as for your Local Certificate Storage in CSOTE is used.

Password:

Password again:

Fig. 27 – Certificate Export - Entering the password for certificate transmission

- If Skip is selected, the same password will be used for the given certificate as set in the Local certificate store on the PC.
- The following screens will contain a specified number of QR codes containing the certificate information that must be transferred to the mobile device.

By clicking menu 4 - above the first displayed QR code we can increase the number of generated codes and thus ensure the possibility of reading the codes even to older mobile devices that are not able to read this code.



Fig. 28 – Certificate Export – QR codes generated by computer

2019 OTE, a.s.


Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas

### 1.2.3 Importing certificate to the mobile device

Mobile application requires signing certificate for the work, If you first open the app, as the second step of the **Setup Wizard** is import Certificate. By clicking the **Import** button the certificate could be imported to Mobile Device

- If you want to replace an already uploaded certificate with another certificate registered in CS OTE (eg. when renewing the certificate ) we can do this by selecting **Certificate** from the menu application IM gas.
- Information about the saved certificate is displayed, if one has already been imported ([Fig. 29 – Imported Certificate information](#))
- The buttons for **Import** new certificate and **Test** validity of saved certificate are also displayed ([Fig. 29 – Imported Certificate information](#))



[Fig. 29 – Imported Certificate information](#)

- To upload another certificate, choose **IMPORT**.

2019 OTE, a.s.

Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas




Fig. 30 – Certificate Export – Mobile app – Scanning QR codes

- To move between QR codes, use the “<” “>” icons next to the QR code in the CS OTE portal .
- The mobile device automatically detects which QR code it is and therefore the reading can be performed even in different order .
- After the import process is complete, you are prompted for the password that was used to transfer the certificate.

Information about new imported certificate now will be displayed (Fig. 31 – ):




Fig. 31 – Imported certificate

- After pressing **TEST** and successfully validating the certificate the **Save** button will be enabled.

Clicking **Save Certificate**, you store this certificate in the device and it could be used to sign reports and the **IM gas application is ready** to use.

## 1.3 Screens headers

The header of each primary screen of the application contains following icons: System menu, Market name, Connection status and identification of the logged user, News, Content refresh.




Fig. 32 – Screens headers

- 1 System menu – guide to information and settings screens Profile Details, Certificate, Settings, About Application, Contact Support, Logout
- 2 Market name – currently active market to which the displayed information and operations are related
- 3 Connection status and identification of the logged user – connection status of the mobile application (Online/Offline), shortcut of logged user is written in the brackets
- 4 News – contains information messages, also signals new VIP news (colored icon indicates unread messages)
- 5 Content refresh – button for manual refresh of screen content (A – indicates auto-refresh enabled)

## 1.4 Control elements

- Back button – button is active only outside the primary screen, allows you to return to the previous screen
- Return to the top of the list

## 1.5 Market screen

After logging to the application the Market screen is displayed. This screen provides the user with up-to-date information about the status of active orders and about the market depth (the next 3 orders with the lowest price for sale and three orders with the highest price for purchase; the price and quantity values for own orders are color-coded), which can be "collapsed" by the user. The orders are shown as aggregated, sorted by price, and the quantity is also shown in the cumulative quantity (Aggr. MWh.).




Fig. 33 – Market screen

- 1 The name of the contract with the possibility of collapsing market depth (after clicking)
- 2 Best order to buy – after clicking user is forwarded to the *Create Order screen* – create order Sell / Quick Accept
- 3 Best order to sell - after clicking user is forwarded to the *Create Order screen* – create order Buy / Quick Accept
- 4 Total Own Quantity – after clicking user is forwarded to *Orders by contract* screen
- 5 Aggregated quantity (MWh)

2019 OTE, a.s.

Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas

### 1.5.1 Create Order screen

The *Create Order* screen allows users to enter their own orders or take advantage of the quick acceptance option. **Quick Accept** serves for a buy / sell operation through predefined values that correspond to the opposite operation (sell / buy) entered by another user. If the contract does not contain any active order, the *Create Order* form opens with blank price and quantity parameters.

The screenshot shows the 'Create Order' screen with the following elements and callouts:

- 1**: Date field showing 'November 18, 2019'.
- 2**: Order to field with 'BUY' and 'SELL' buttons.
- 3**: Type (Restriction) field showing 'LMT (NON)'.
- 4**: State field with an 'Active' toggle switch.
- 5**: Price (€/MWh) field showing '16.00'.
- 6**: Quantity (MWh) field showing '16.0'.
- 7**: Bid (Buy) and Ask (Sell) sections.
- 8**: Bid (Buy) table showing a list of orders.

Bid (Buy)		Ask (Sell)	
Qty MWh	Price €/MWh	Price €/MWh	Qty MWh
16.0	16.00	56.00	44.0
8.0	8.00	566.00	25.0
5.0	5.00		
1.6	1.00		

Fig. 34 – Create Order screen

- 6 Date and name of the contract – possibility of contract selection
- 7 Order to – switch button to select the buy/ sell operation
- 8 Type – display of order type and its restriction (LMT/ICB, (NON)/(FOK)/(IOC))
- 9 State – switch button for setting the active / inactive order
- 10 Quantity / price setting field using the keypad
- 11 Quantity / price setting buttons
- 12 Update content manually
- 13 View of a maximum five best orders to buy and sell

## 1.6 Reports Screen

Provides list of all reports in the mobile app.




Fig. 35 – Reports screen

- 14 Report – Current Limit Status – Gas – displays an overview of the current BRP limits
- 15 Report – Orders Overview – displays the order data related to the selected contract
- 16 Report – Trades Overview – displays trades data
- 17 Report – IM Gas Results – displays the summary results of the intraday gas market
- 18 Report – Subject position on Gas market – displays the current position of BRP


### 1.6.1 Reports control

Click the report to view its content with default values. Each report has its own selection parameters. These include: Date selection, Contract selection, Order Direction, Order Status. Some parameters are used only in certain reports.

← Orders Report
Online(VKr)


---

### Orders Overview



Date  
November 21, 2019

Contract  
21/11

 Retrieve

State:

ACTIVE
INACTIVE
DELETED
CLOSED

Order to:

BUY
SELL

Fig. 36 – Report Orders Overview - header

## 1.7 Trades screen

It is used for monitoring the progress of trading and current trading results. Only contracts opened for trading are displayed on the screen.

Contract	Last trade	TotalQty	TotOwnQty
18/11	€/MWh 2.84 MWh 4.9	182.4	S 182.4 B 177.4
19/11	€/MWh — MWh —	—	S — B —

Bottom navigation bar: Reports, Trades, Market, Orders, Audit Log

Fig. 37 – Trades screen

- 19 TotalQty – quantity of all trades created during the session in MWh
- 20 TotOwnQty – Total own quantity
- The total quantity sold, calculated as the sum of all trades for a given contract where the participant acts on the **sales** side in MWh.
  - The total quantity purchased, calculated as the sum of the quantity of all trades for a given contract where the participant acts on the **purchase** side in MWh.
- 21 Click the contract for displaying the *Trading History* screen

## 1.8 Trading History screen

Displays trading data related to the contract selected on the Trades screen.




Fig. 38 – Trading History

- 22 Best order to buy - after clicking user is forwarded to the *Create Order* screen – create order Sell / Quick Accept
- 23 Best order to sell - after clicking user is forwarded to the *Create Order* screen – create order Buy / Quick Accept
- 24 Last price (€/MWh) – price of the last trade in EUR / MWh with trend indication
- 25 Last quantity (MWh) - quantity of the most recent trade in MWh
- 26 Total quantity (MWh) - quantity of all trades created during the session in MWh
- 27 Own quantity (MWh) – displays:
  - Total quantity sold, calculated as the sum of all trades for a given contract where the participant acts on the sales side in MWh.
  - The total quantity purchased, calculated as the sum of the quantity of all trades for the given contract, where the participant acts on the purchase side in MWh.
- 28 Graph – used for displaying progress of the prices and traded quantities of the selected contract in time

- Points curve – price progression
  - Columns – quantity progression
- 29 Timeframe – time span of graph, *2D* (2 gas days), *1D* (1 gas day), *4H* (4 hours), *1H* (1 hour), *15M* (15 minutes)
- 30 Information about trades of a chosen contract (select all or own)
- Ag. - Aggressor – accepting party of the trade (buyer / seller), if the value is not filled, it means that the trade was created in the auction
  - Price (€/MWh) – Price of the created trade in Eur / MWh
  - Quantity (MWh) - The quantity of the created trade in MWh
  - Realized – Time stamp of trade creation
  - TotOwnQty – The cumulative **own** quantity at a time point in MWh – calculated as the sum of the quantity of all trades for a given contract and the direction of a given trade where the participant acts on the **sale / purchase** side in MWh.

## 1.9 Orders screen

It provides an overview of all orders created by a logged market participant and related to currently open contracts. Allows you to go to the *Modify Order* screen.

IM GAS Online(VKr)				
ACTIVE INACTIVE ALL				
<input type="checkbox"/>	Contract	B/S Type	Price €/MWh Qty MWh	Created Valid To
<input type="checkbox"/>	18/11	BUY LMT	16.00 16.0	11/18/19 13:06:04
<input type="checkbox"/>	18/11	BUY LMT	8.00 8.0	11/18/19 13:05:45
<input type="checkbox"/>	18/11	BUY LMT	5.00 5.0	11/18/19 13:05:33
<input type="checkbox"/>	18/11	SELL LMT	566.00 25.0	11/18/19 13:04:17
<input type="checkbox"/>	18/11	SELL LMT	56.00 44.0	11/18/19 09:41:20
<input type="checkbox"/>	18/11	BUY LMT	1.00 0.8	11/18/19 09:16:15
<input type="checkbox"/>	19/11	BUY ICB	2.05 1.5	11/18/19 12:07:13
<input type="checkbox"/>	19/11	BUY ICB	2.04 1.4	11/18/19 12:07:00 11/20/19 05:00:00

Reports Trades Market Orders Audit Log

Fig. 39 – Orders screen

- 31 Filters orders according to whether they are active / inactive or both
- 32 Selection of order/orders for their activation/deactivation/delete -> after selection, the confirmation buttons for these operations are displayed
- 33 After click, the order form *Modify Order* is opened

### 1.9.1 Modify Order screen

This screen allows the logged user to adjust the orders.

**Limit order** modification allows the user for changing only following attributes:

- order state (Active/Inactive),
- order quantity,
- order price.

2019 OTE, a.s.

Date of revision:  
31.1.2024

Document name:  
Mobile application IM Gas

**Iceberg order** modification allows the user for changing only following attributes:

- Order state (Active/Inactive).

An order cannot be modified if:

- it is deleted or withdrawn from trading (has expired);
- ID order is invalid;
- Max. version of the bid in the system does not match with the required bid version for modification.

The screenshot shows the 'Modify Order' screen for an 'Online(VKr)' contract. It includes fields for Date (November 18, 2019), Contract (18/11), Id (Ver): 2002466 (0), and Created: 11/18/19 13:05:33. Below these are fields for Order to (BUY), Valid To, Type (Restriction) (LMT (NON)), and State (Active). There are also input fields for Price (€/MWh) (5.00) and Quantity (MWh) (5.0), along with '+' and '-' buttons for adjustment. At the bottom, there is a table for 'Bid (Buy)' and 'Ask (Sell)' orders, and buttons for 'DELETE' and 'MODIFY'.

Bid (Buy)		Ask (Sell)	
Qty MWh	Price €/MWh	Price €/MWh	Qty MWh
16.0	16.00	56.00	44.0
8.0	8.00	566.00	25.0
5.0	5.00		

Fig. 40 – Modify Order screen

- 34 The identification number, version, date and time of the created order that the user wants to modify
- 35 Operation – information about the order direction (Buy / Sell)
- 36 Valid to – time period of order validity for trading (time restriction)
- 37 Activity – switch button for setting the active / inactive order
- 38 Type – type of order and its restriction (LMT/ICB, (NON))/(FOK)/(IOC))
- 39 Quantity / price setting field using the keypad
- 40 Quantity / price setting buttons
- 41 Update content of the best orders table (Automatic or Manual)
- 42 View of a maximum five best orders to buy and sell
- 43 Buttons for delete order or its modification

## 1.10 Audit log screen

Informs user of the following events:

- Order reception
- Order modification
- Order activation/deactivation
- Order deletion
- System order deletion
- Trade creation
- Contract generation
- Change state of contract
- Change the deactivation flag of contract
- Modification of market settings
- Acceptance/cancelation of VIP news (see 1.3 [Screens headers](#))




Fig. 41 – Screen Audit log

## 44 Filter by message type – ALL/PRIVATE/PUBLIC

2019 OTE, a.s.

Date of revision:  
11.12.2019

Document name:  
Mobile application IM Gas

45 Filter by message priority – HIGH, MEDIUM, LOW

## 1.11 User logout

- To log out of the profile, select **Logout** from the application menu and then confirm **Logout**.




Fig. 42 – User Log out

