

User manual Of information System



User manual for external users of OTE public web – web services

This document and its content are confidential. It is forbidden to reproduce the document or its parts, to show it to third parties or to use it for any other purposes than it was provided for without prior written agreement by OTE, a.s.

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

Datum	Popis změny
4.8.2010	Popis změn po redesign webových služeb
7.9.2010	Verze k OTE připomínkám
29.9.2010	Finalizace OTE připomínek
2.12.2010	Aktualizace pro CR78
8.5.2012	Aktualizace pro CR160
3.8.2016	Aktualizace pro CR391

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

Contents

1	Web services	3
	1.1 <i>Compatibility</i>	3
	1.2 <i>WSDL</i>	3
	1.3 <i>Services and formats</i>	17
	1.3.1 <i>GetDamIndexE</i>	18
	1.3.2 <i>GetRutList</i>	19
	1.3.3 <i>GetDamPriceE (previous GetOKOCenyHod)</i>	22
	1.3.4 <i>GetDamAllE (previous GetDAMPriceHour)</i>	28
	1.3.5 <i>GetBmPriceE (previous GetBTCeny)</i>	34
	1.3.6 <i>GetImbalanceSettlementE(previous GetVicenaklady)</i>	36
	1.3.7 <i>GetImPriceE (new)</i>	44
	1.3.8 <i>GetDamPriceG (new)</i>	47
	1.3.9 <i>GetImPriceG (new)</i>	49
	1.3.10 <i>GetImbalanceSettlementG</i>	50
	1.3.11 <i>GetImbalanceNCBALSettlementG (new)</i>	52

1 Web services

Web services allows automatic access to some data that are published on our web site (www.ote-cr.cz) The technology is wide-spread and has an implementation in many programming languages. For its use is necessary to have a program that will process, store and display to user.

Current implementation uses Python app.server Zope with SOAP library [SOAPpy 0.11.6](#) with server extension [SOASupport 0.7.2](#).

1.1 Compatibility

Services on current public web got through upgrade. Compatibility with previous client version (OTE Win client version 1.1.2.0 and OTE WWW services version 1.1.2.0) are not supported yet.

1.2 WSDL

Service is available at <http://www.ote-cr.cz/services/PublicDataService>. WSDL is available at same link by sending HTTP GET request, or at <http://www.ote-cr.cz/services/PublicDataService/wsd>

WSDL Extract:

```
<?xml version="1.0" encoding="utf-8"?>
<wsdl:definitions xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:tns="http://www.ote-cr.cz/schema/service/public"
xmlns:tm="http://microsoft.com/wsdl/mime/textMatching/"
xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/"
targetNamespace="http://www.ote-cr.cz/schema/service/public"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:types>
    <xs:schema elementFormDefault="qualified"
targetNamespace="http://www.ote-cr.cz/schema/service/public">
      <xs:import namespace="http://www.w3.org/2001/XMLSchema" />
      <xs:element name="GetRutList">
        <xs:complexType />
      </xs:element>
      <xs:element name="GetRutListResponse">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="Result">
              <xs:complexType>
                <xs:sequence>
                  <xs:element minOccurs="0" maxOccurs="unbounded"
name="Rut">
                    <xs:complexType>
                      <xs:sequence>
                        <xs:element name="Id" type="xs:string" />
                        <xs:element minOccurs="0" name="Ean" >
                          <xs:simpleType>
                            <xs:restriction base="xs:string">
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```

                <xs:length value="13"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" name="Eic" >
        <xs:simpleType>
            <xs:restriction base="xs:string">
                <xs:length value="16"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="VatNo" type="xs:string" />
    <xs:element name="Company" type="xs:string" />
    <xs:element name="RegistrationDate"
type="xs:date" />
        <xs:element minOccurs="0"
name="SubjectSettlementDateElectricityFrom" type="xs:date" />
            <xs:element minOccurs="0"
name="SubjectSettlementDateElectricityTo" type="xs:date" />
                <xs:element minOccurs="0"
name="SubjectSettlementDateGasFrom" type="xs:date" />
                    <xs:element minOccurs="0"
name="SubjectSettlementDateGasTo" type="xs:date" />
                        <xs:element minOccurs="0"
name="DamElectricityValidityFrom" type="xs:date" />
                            <xs:element minOccurs="0"
name="DamElectricityValidityTo" type="xs:date" />
                                <xs:element minOccurs="0"
name="DamGasValidityFrom" type="xs:date" />
                                    <xs:element minOccurs="0"
name="DamGasValidityTo" type="xs:date" />
                                        <xs:element minOccurs="0"
name="DistributorElectricityFrom" type="xs:date" />
                                            <xs:element minOccurs="0"
name="DistributorElectricityTo" type="xs:date" />
                                                <xs:element minOccurs="0"
name="DistributorGasFrom" type="xs:date" />
                                                    <xs:element minOccurs="0"
name="DistributorGasTo" type="xs:date" />
                                                        </xs:sequence>
                                                    </xs:complexType>
                                                </xs:element>
                                            </xs:sequence>
                                        </xs:complexType>
                                    </xs:element>
                                </xs:sequence>
                            </xs:complexType>
                        </xs:element>
                    <xs:element name="GetDamIndexE">
                        <xs:complexType>
                            <xs:sequence>
                                <xs:element name="StartDate" type="xs:date" />
                                <xs:element name="EndDate" type="xs:date" />
                            </xs:sequence>
                        </xs:complexType>
                    </xs:element>

```

```

        <xs:element name="GetDamIndexEResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="Result">
                        <xs:complexType>
                            <xs:sequence>
                                <xs:element minOccurs="0" maxOccurs="unbounded"
name="DamIndex">
                                    <xs:complexType>
                                        <xs:sequence>
                                            <xs:element name="Date" type="xs:date"/>
                                            <xs:element name="EurRate" type="xs:decimal"/>
                                            <xs:element name="BaseLoad"
type="xs:decimal"/>
                                            <xs:element name="PeakLoad"
type="xs:decimal"/>
                                            <xs:element name="OffpeakLoad"
type="xs:decimal"/>
                                        </xs:sequence>
                                    </xs:complexType>
                                </xs:element>
                            </xs:sequence>
                        </xs:complexType>
                    </xs:element>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="GetDamPriceE">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="StartDate" type="xs:date" />
                    <xs:element name="EndDate" type="xs:date" />
                    <xs:element minOccurs="0" name="StartHour" >
                        <xs:simpleType>
                            <xs:restriction base="xs:int">
                                <xs:pattern value="\d{1,2}"/>
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element minOccurs="0" name="EndHour" >
                        <xs:simpleType>
                            <xs:restriction base="xs:int">
                                <xs:pattern value="\d{1,2}"/>
                            </xs:restriction>
                        </xs:simpleType>
                    </xs:element>
                    <xs:element minOccurs="0" name="InEur" type="xs:boolean"
/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="GetDamPriceEResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="Result">
                        <xs:complexType>

```

```

        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="unbounded"
name="Item">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element name="Date" type="xs:date" />
                        <xs:element name="Hour">
                            <xs:simpleType>
                                <xs:restriction base="xs:int">
                                    <xs:pattern value="\d{1,2}"/>
                                </xs:restriction>
                            </xs:simpleType>
                        </xs:element>
                        <xs:element name="Price" type="xs:decimal"/>
                        <xs:element name="Volume" type="xs:decimal"/>
                    </xs:sequence>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GetDamAlle">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="StartDate" type="xs:date" />
            <xs:element name="EndDate" type="xs:date" />
            <xs:element minOccurs="0" name="StartHour" >
                <xs:simpleType>
                    <xs:restriction base="xs:int">
                        <xs:pattern value="\d{1,2}"/>
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" name="EndHour" >
                <xs:simpleType>
                    <xs:restriction base="xs:int">
                        <xs:pattern value="\d{1,2}"/>
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" name="InEur" type="xs:boolean"
/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    <xs:element name="GetDamAllEResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="Result">
                    <xs:complexType>
                        <xs:sequence>
                            <xs:element minOccurs="0" maxOccurs="unbounded"
name="Item">

```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```

        <xs:complexType>
          <xs:sequence>
            <xs:element name="Date" type="xs:date" />
            <xs:element name="Hour">
              <xs:simpleType>
                <xs:restriction base="xs:int">
                  <xs:pattern value="\d{1,2}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" name="PriceCZ"
type="xs:decimal"/>
            <xs:element minOccurs="0" name="SaleCZ"
type="xs:decimal"/>
            <xs:element minOccurs="0" name="PurchaseCZ"
type="xs:decimal"/>
            <xs:element minOccurs="0" name="PriceSK"
type="xs:decimal"/>
            <xs:element minOccurs="0" name="SaleSK"
type="xs:decimal"/>
            <xs:element minOccurs="0" name="PurchaseSK"
type="xs:decimal"/>
            <xs:element minOccurs="0"
name="TotalVolumeCZSK" type="xs:decimal"/>
            <xs:element minOccurs="0" name="FlowCZSK"
type="xs:decimal"/>
            <xs:element minOccurs="0" name="FlowSKCR"
type="xs:decimal"/>
            <xs:element minOccurs="0" name="ImportCZ"
type="xs:decimal"/>
            <xs:element minOccurs="0" name="ExportCZ"
type="xs:decimal"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="GetBmPriceE">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="StartDate" type="xs:date" />
      <xs:element name="EndDate" type="xs:date" />
      <xs:element minOccurs="0" name="InEur" type="xs:boolean"
/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="GetBmPriceEResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Result">
        <xs:complexType>

```



```

        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="unbounded"
name="Item">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element name="Date" type="xs:date" />
                        <xs:element minOccurs="0" name="Product"
type="tns:ProductType" maxOccurs="unbounded"/>
                    </xs:sequence>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GetImPriceE">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="StartDate" type="xs:date" />
            <xs:element name="EndDate" type="xs:date" />
            <xs:element minOccurs="0" name="StartHour" >
                <xs:simpleType>
                    <xs:restriction base="xs:int">
                        <xs:pattern value="\d{1,2}"/>
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" name="EndHour" >
                <xs:simpleType>
                    <xs:restriction base="xs:int">
                        <xs:pattern value="\d{1,2}"/>
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GetImPriceEResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Result">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element minOccurs="0" maxOccurs="unbounded"
name="Item">
                            <xs:complexType>
                                <xs:sequence>
                                    <xs:element name="Date" type="xs:date" />
                                    <xs:element name="Hour">
                                        <xs:simpleType>
                                            <xs:restriction base="xs:int">
                                                <xs:pattern value="\d{1,2}"/>
                                            </xs:restriction>
                                        </xs:simpleType>
                                    </xs:sequence>
                                </xs:complexType>
                            </xs:element>
                        </xs:sequence>
                    </xs:complexType>
                </xs:element>
            </xs:sequence>
        </xs:complexType>
    </xs:element>

```

```

                </xs:element>
                <xs:element name="Price" type="xs:decimal"/>
                <xs:element name="Volume" type="xs:decimal"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="GetImbalanceSettlementE">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Version" type="tns:VersionType"/>
            <xs:element name="StartDate" type="xs:date" />
            <xs:element name="EndDate" type="xs:date" />
            <xs:element minOccurs="0" name="StartHour" >
                <xs:simpleType>
                    <xs:restriction base="xs:int">
                        <xs:pattern value="\d{1,2}"/>
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" name="EndHour" >
                <xs:simpleType>
                    <xs:restriction base="xs:int">
                        <xs:pattern value="\d{1,2}"/>
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GetImbalanceSettlementEResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Result">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element minOccurs="0" maxOccurs="unbounded"
name="Item">
                            <xs:complexType>
                                <xs:sequence>
                                    <xs:element name="Version"
type="tns:VersionType"/>
                                    <xs:element name="Date" type="xs:date" />
                                    <xs:element name="Hour" >
                                        <xs:simpleType>
                                            <xs:restriction base="xs:int">
                                                <xs:pattern value="\d{1,2}"/>
                                            </xs:restriction>
                                        </xs:simpleType>
                                    </xs:element>
                                </xs:sequence>
                            </xs:complexType>
                        </xs:element>
                    </xs:sequence>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>

```

```

type="xs:decimal" />
    <xs:element name="SystemImbalance"
type="xs:decimal" />
    <xs:element name="Sum" type="xs:decimal" />
    <xs:element name="PositiveImbalance"
type="xs:decimal" />
    <xs:element name="NegativeImbalance"
type="xs:decimal" />
    <xs:element name="RoundedImbalance"
type="xs:decimal" />
    <xs:element name="ReCost" type="xs:decimal" />
    <xs:element name="ImbalanceCost"
type="xs:decimal" />
    <xs:element name="SettlImbalancePrice"
type="xs:decimal" />
    <xs:element name="SettlCounterImbalancePrice"
type="xs:decimal" />
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    <xs:element name="GetDamPriceG">
    <xs:complexType>
    <xs:sequence>
    <xs:element name="StartDate" type="xs:date" />
    <xs:element name="EndDate" type="xs:date" />
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    <xs:element name="GetDamPriceGResponse">
    <xs:complexType>
    <xs:sequence>
    <xs:element name="Result">
    <xs:complexType>
    <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
name="Item">
    <xs:complexType>
    <xs:sequence>
    <xs:element name="Date" type="xs:date" />
    <xs:element name="Session">
    <xs:simpleType>
    <xs:restriction base="xs:string">
    <xs:enumeration value="AM"/>
    <xs:enumeration value="PM"/>
    <xs:enumeration value="DM"/>
    </xs:restriction>
    </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" name="Price"
type="xs:decimal"/>
    
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```

                <xs:element minOccurs="0" name="Volume"
type="xs:decimal"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="GetImPriceG">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="StartDate" type="xs:date" />
            <xs:element name="EndDate" type="xs:date" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GetImPriceGResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Result">
                <xs:complexType>
                    <xs:sequence>
                        <xs:element minOccurs="0" maxOccurs="unbounded"
name="Item">
                            <xs:complexType>
                                <xs:sequence>
                                    <xs:element name="Date" type="xs:date" />
                                    <xs:element minOccurs="0" name="Price"
type="xs:decimal"/>
                                    <xs:element minOccurs="0" name="Volume"
type="xs:decimal"/>
                                    <xs:element minOccurs="0" name="MinPrice"
type="xs:decimal"/>
                                    <xs:element minOccurs="0" name="MaxPrice"
type="xs:decimal"/>
                                </xs:sequence>
                            </xs:complexType>
                        </xs:element>
                    </xs:sequence>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GetImbalanceSettlementG">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Version" type="tns:VersionType"/>
            <xs:element name="StartDate" type="xs:date" />
            <xs:element name="EndDate" type="xs:date" />
        </xs:sequence>
    </xs:complexType>
</xs:element>

```

```

        <xs:element name="GetImbalanceSettlementGResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="Result">
                        <xs:complexType>
                            <xs:sequence>
                                <xs:element minOccurs="0" maxOccurs="unbounded"
name="Item">
                                    <xs:complexType>
                                        <xs:sequence>
                                            <xs:element name="Date" type="xs:date" />
                                            <xs:element name="Version"
type="tns:VersionType"/>
                                        <xs:element name="SystemImbalance"
type="xs:decimal" />
                                        <xs:element name="PositiveImbalance"
type="xs:decimal" />
                                        <xs:element name="NegativeImbalance"
type="xs:decimal" />
                                        <xs:element name="TransferTsDs"
type="xs:decimal" />
                                        <xs:element name="BalancingGasPrice"
type="xs:decimal" />
                                        <xs:element name="CnbRate" type="xs:decimal"
/>
                                        <xs:element name="BalancingGasSettlPrice"
type="xs:decimal" />
                                        <xs:element name="MissingBalancingGasPrice"
type="xs:decimal" />
                                        <xs:element name="ExcessiveBalancingGasPrice"
type="xs:decimal" />
                                        <xs:element name="Difference"
type="xs:decimal" />
                                        <xs:element name="OffToleranceDeviationPrice"
type="xs:decimal" />
                                    </xs:sequence>
                                </xs:complexType>
                            </xs:element>
                        </xs:sequence>
                    </xs:complexType>
                </xs:element>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:complexType name="ProductType">
        <xs:sequence>
            <xs:element name="Type">
                <xs:simpleType>
                    <xs:restriction base="xs:string">
                        <xs:enumeration value="BaseLoad"/>
                        <xs:enumeration value="PeakLoad"/>
                        <xs:enumeration value="OffpeakLoad"/>
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element name="Volume" type="xs:decimal" />
        </xs:sequence>
    </xs:complexType>

```

```
        <xs:element name="AveragePrice" type="xs:decimal" />
        <xs:element name="MinPrice" type="xs:decimal" />
        <xs:element name="MaxPrice" type="xs:decimal" />
    </xs:sequence>
</xs:complexType>
<xs:simpleType name="VersionType">
    <xs:restriction base="xs:integer">
        <xs:enumeration value="0"/>
        <xs:enumeration value="1"/>
        <xs:enumeration value="2"/>
    </xs:restriction>
</xs:simpleType>
</xs:schema>
</wsdl:types>
<wsdl:message name="GetRutListSoapIn">
    <wsdl:part name="parameters" element="tns:GetRutList" />
</wsdl:message>
<wsdl:message name="GetRutListSoapOut">
    <wsdl:part name="parameters" element="tns:GetRutListResponse" />
</wsdl:message>
<wsdl:message name="GetDamIndexESoapIn">
    <wsdl:part name="parameters" element="tns:GetDamIndexE" />
</wsdl:message>
<wsdl:message name="GetDamIndexESoapOut">
    <wsdl:part name="parameters" element="tns:GetDamIndexEResponse" />
</wsdl:message>
<wsdl:message name="GetDamPriceESoapIn">
    <wsdl:part name="parameters" element="tns:GetDamPriceE" />
</wsdl:message>
<wsdl:message name="GetDamAllESoapOut">
    <wsdl:part name="parameters" element="tns:GetDamAllEResponse" />
</wsdl:message>
<wsdl:message name="GetDamAllESoapIn">
    <wsdl:part name="parameters" element="tns:GetDamAlle" />
</wsdl:message>
<wsdl:message name="GetDamPriceESoapOut">
    <wsdl:part name="parameters" element="tns:GetDamPriceEResponse" />
</wsdl:message>
<wsdl:message name="GetBmPriceESoapIn">
    <wsdl:part name="parameters" element="tns:GetBmPriceE" />
</wsdl:message>
<wsdl:message name="GetBmPriceESoapOut">
    <wsdl:part name="parameters" element="tns:GetBmPriceEResponse" />
</wsdl:message>
<wsdl:message name="GetImPriceESoapIn">
    <wsdl:part name="parameters" element="tns:GetImPriceE" />
</wsdl:message>
<wsdl:message name="GetImPriceESoapOut">
    <wsdl:part name="parameters" element="tns:GetImPriceEResponse" />
</wsdl:message>
<wsdl:message name="GetImbalanceSettlementESoapIn">
    <wsdl:part name="parameters" element="tns:GetImbalanceSettlementE"
/>
</wsdl:message>
<wsdl:message name="GetImbalanceSettlementESoapOut">
```

```

        <wsdl:part name="parameters"
element="tns:GetImbalanceSettlementEResponse" />
    </wsdl:message>
    <wsdl:message name="GetDamPriceGSoapIn">
        <wsdl:part name="parameters" element="tns:GetDamPriceG" />
    </wsdl:message>
    <wsdl:message name="GetDamPriceGSoapOut">
        <wsdl:part name="parameters" element="tns:GetDamPriceGResponse" />
    </wsdl:message>
    <wsdl:message name="GetImPriceGSoapIn">
        <wsdl:part name="parameters" element="tns:GetImPriceG" />
    </wsdl:message>
    <wsdl:message name="GetImPriceGSoapOut">
        <wsdl:part name="parameters" element="tns:GetImPriceGResponse" />
    </wsdl:message>
    <wsdl:message name="GetImbalanceSettlementGSoapIn">
        <wsdl:part name="parameters" element="tns:GetImbalanceSettlementG"
/>
    </wsdl:message>
    <wsdl:message name="GetImbalanceSettlementGSoapOut">
        <wsdl:part name="parameters"
element="tns:GetImbalanceSettlementGResponse" />
    </wsdl:message>
    <wsdl:portType name="PublicDataServiceSoap">
        <wsdl:operation name="GetRutList">
            <xs:documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
seznam všech registrovaných účastníků trhu</xs:documentation>
            <wsdl:input message="tns:GetRutListSoapIn" />
            <wsdl:output message="tns:GetRutListSoapOut" />
        </wsdl:operation>
        <wsdl:operation name="GetDamIndexE">
            <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
indexy krátkodobého obchodu za elektřinu pro zadané
období</documentation>
            <wsdl:input message="tns:GetDamIndexESoapIn" />
            <wsdl:output message="tns:GetDamIndexESoapOut" />
        </wsdl:operation>
        <wsdl:operation name="GetDamPriceE">
            <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
hodnotu energie a cenu v EUR po hodnách z denního trhu s elektřinou
pro zadané období</documentation>
            <wsdl:input message="tns:GetDamPriceESoapIn" />
            <wsdl:output message="tns:GetDamPriceESoapOut" />
        </wsdl:operation>
        <wsdl:operation name="GetDamAlle">
            <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
výsledky společného denního trhu CR a SR</documentation>
            <wsdl:input message="tns:GetDamAlleSoapIn" />
            <wsdl:output message="tns:GetDamAlleSoapOut" />
        </wsdl:operation>
        <wsdl:operation name="GetBmPriceE">
            <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
ceny a množství z krátkodobého trhu za elektřinu pro zadané
období</documentation>
            <wsdl:input message="tns:GetBmPriceESoapIn" />
            <wsdl:output message="tns:GetBmPriceESoapOut" />

```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```
</wsdl:operation>
<wsdl:operation name="GetImPriceE">
  <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
ceny a množství za vnitrodenní obchody s elektřinou pro zadané
období</documentation>
  <wsdl:input message="tns:GetImPriceESoapIn" />
  <wsdl:output message="tns:GetImPriceESoapOut" />
</wsdl:operation>
<wsdl:operation name="GetImbalanceSettlementE">
  <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
výsledky zúčtování odchylek za elektřinu pro zadané
období</documentation>
  <wsdl:input message="tns:GetImbalanceSettlementESoapIn" />
  <wsdl:output message="tns:GetImbalanceSettlementESoapOut" />
</wsdl:operation>
<wsdl:operation name="GetDamPriceG">
  <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
ceny a množství denního tru s plynem pro zadané období</documentation>
  <wsdl:input message="tns:GetDamPriceGSoapIn" />
  <wsdl:output message="tns:GetDamPriceGSoapOut" />
</wsdl:operation>
<wsdl:operation name="GetImPriceG">
  <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
ceny a množství vnitrodenního tru s plynem pro zadané
období</documentation>
  <wsdl:input message="tns:GetImPriceGSoapIn" />
  <wsdl:output message="tns:GetImPriceGSoapOut" />
</wsdl:operation>
<wsdl:operation name="GetImbalanceSettlementG">
  <documentation xmlns="http://schemas.xmlsoap.org/wsdl/">Vrací
výsledky zúčtování odchylek za plyn a pro zadané
období</documentation>
  <wsdl:input message="tns:GetImbalanceSettlementGSoapIn" />
  <wsdl:output message="tns:GetImbalanceSettlementGSoapOut" />
</wsdl:operation>
</wsdl:portType>
<wsdl:binding name="PublicDataServiceSoap"
type="tns:PublicDataServiceSoap">
  <soap:binding transport="http://schemas.xmlsoap.org/soap/http"
style="document" />
  <wsdl:operation name="GetRutList">
    <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetRutList" style="document" />
    <wsdl:input>
      <soap:body use="literal" />
    </wsdl:input>
    <wsdl:output>
      <soap:body use="literal" />
    </wsdl:output>
  </wsdl:operation>
  <wsdl:operation name="GetDamIndexE">
    <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetDamIndexE" style="document" />
    <wsdl:input>
      <soap:body use="literal" />
    </wsdl:input>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE


```

        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetDamPriceE">
        <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetDamPriceE" style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetDamAlle">
        <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetDamAlle" style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetBmPriceE">
        <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetBmPriceE" style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetImbalanceSettlementE">
        <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetImbalanceSettlementE" style="document"
/>
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetImPriceE">
        <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetImPriceE" style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetDamPriceG">

```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```

        <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetDamPriceG" style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetImPriceG">
        <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetImPriceG" style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GetImbalanceSettlementG">
        <soap:operation soapAction="http://www.ote-
cr.cz/schema/service/public/GetImbalanceSettlementG" style="document"
/>
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
    </wsdl:operation>
</wsdl:binding>
<wsdl:service name="PublicDataService">
    <documentation xmlns="http://schemas.xmlsoap.org/wsdl/" />
    <wsdl:port name="PublicDataServiceSoap"
binding="tns:PublicDataServiceSoap">
        <soap:address location="http://www.ote-
cr.cz/services/PublicDataService" />
    </wsdl:port>
</wsdl:service>
</wsdl:definitions>
    
```

1.3 Services and formats

All services export data in XML format including XSD definition.

Services list (case sensitive!):

- GetDamIndexE (previous GetOKOIndex)
- GetRutList (previous GetRUTList)
- GetDamPriceE (previous GetOKOCenyHod)
- GetDamAllE (previous GetDAMPriceHour)

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

- GetBmPriceE (previous GetBTCeny)
- GetImbalanceSettlementE(previous GetVicenaklady)
- GetImPriceE (new)
- GetDamPriceG (new)
- GetImPriceG (new)
- GetImbalanceSettlementG (new)

Types of output parameters:

- date – xsd:date
- hour – hour no. interval 1-25

1.3.1 GetDamIndexE

Returns electricity Short-term Market indexes for given period.

Input parameters:

- StartDate - date from
- EndDate - date to

Output structure with elements:

- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- EurRate – exchange rate ČNB for given day
- BaseLoad – BaseLoad index value
- PeakLoad - PeakLoad index value
- OffpeakLoad – OffpeakLoad index value

Example - Input request:

```
<?xml version="1.0" encoding="utf-8" ?>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetDamIndexE>
      <pub:StartDate>2010-01-01</pub:StartDate>
      <pub:EndDate>2010-01-02</pub:EndDate>
    </pub:GetDamIndexE>
  </soapenv:Body>
</soapenv:Envelope>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```
</soapenv:Body>
</soapenv:Envelope>
```

Example – output:

```
<?xml version="1.0" encoding="utf-8" ?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetDamIndexEResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <DamIndex>
          <Date>2010-01-01</Date>
          <EurRate>26.4</EurRate>
          <BaseLoad>9.15</BaseLoad>
          <PeakLoad>12.94</PeakLoad>
          <OffpeakLoad>5.36</OffpeakLoad>
        </DamIndex>
        <DamIndex>
          <Date>2010-01-02</Date>
          <EurRate>26.465</EurRate>
          <BaseLoad>29.88</BaseLoad>
          <PeakLoad>43.5</PeakLoad>
          <OffpeakLoad>16.26</OffpeakLoad>
        </DamIndex>
      </Result>
    </GetDamIndexEResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

1.3.2 GetRutList

Returns list of all registered market participants.

No input parameters.

Output structure with elements:

- Id - Unique participant identifier (RMP) in IS OTE
- Ean - European article number, participant code (length 13)
- Eic – RMP unique identifier via EIC
- VatNo – Vat Reg. number
- Company – Company name
- RegistrationDate – Registration date (creating RMP in IS)
- SubjectSettlementDateElectricityFrom – Validity date from - Subject of Settlement - electricity

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

- SubjectSettlementDateElectricityTo - Validity date to - Subject of Settlement - electricity
- SubjectSettlementDateGasFrom - Validity date from - Subject of Settlement - gas
- SubjectSettlementDateGasTo - Validity date to - Subject of Settlement - gas
- DamElectricityValidityFrom – Validity date from – access to DM - electricity
- DamElectricityValidityTo - Validity date to – access to DM - electricity
- DamGasValidityFrom - Validity date from – access to DM - gas
- DamGasValidityTo - Validity date to – access to DM - gas
- DistributorElectricityFrom - Validity date from – distributor licence - electricity
- DistributorElectricityTo - Validity date to – distributor licence - electricity
- DistributorGasFrom - Validity date from – distributor licence - gas
- DistributorGasTo - Validity date to – distributor licence – gas

Example - Input request:

```
<?xml version="1.0" encoding="utf-8" ?>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetRutList/>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – output:

```
<?xml version="1.0" encoding="UTF-8" ?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetRutListResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <Rut>
          <Id>3</Id>
          <Ean>8591824000304</Ean>
          <VatNo>70894451</VatNo>
          <Company>3</Company>
          <RegistrationDate>2002-04-11</RegistrationDate>
          <DamElectricityValidityFrom>2002-04-
12</DamElectricityValidityFrom>
          <DamElectricityValidityTo>5000-01-
01</DamElectricityValidityTo>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```

</Rut>
<Rut>
  <Id>5</Id>
  <Ean>8591824000502</Ean>
  <VatNo>46900896</VatNo>
  <Company>5</Company>
  <RegistrationDate>2004-04-02</RegistrationDate>
</Rut>
<Rut>
  <Id>6</Id>
  <Ean>8591824000601</Ean>
  <VatNo>00020699</VatNo>
  <Company>6</Company>
  <RegistrationDate>2004-06-30</RegistrationDate>
</Rut>
<Rut>
  <Id>20</Id>
  <Ean>8591824001905</Ean>
  <Eic>24X-OT-SK-----V</Eic>
  <VatNo>35829141</VatNo>
  <Company>20</Company>
  <RegistrationDate>2009-08-20</RegistrationDate>
</Rut>
<Rut>
  <Id>21</Id>
  <Ean>8591824002100</Ean>
  <Eic>10XSK-SEPS-GRIDB</Eic>
  <VatNo>35829141</VatNo>
  <Company>21</Company>
  <RegistrationDate>2009-08-20</RegistrationDate>
</Rut>
<Rut>
  <Id>98</Id>
  <Ean>8591824009802</Ean>
  <VatNo>27865444</VatNo>
  <Company>98</Company>
  <RegistrationDate>2007-05-15</RegistrationDate>
  <DamElectricityValidityFrom>2009-03-
31</DamElectricityValidityFrom>
  <DamElectricityValidityTo>5000-01-
01</DamElectricityValidityTo>
</Rut>
<Rut>
  <Id>99</Id>
  <Ean>8591824009901</Ean>
  <VatNo>49546392</VatNo>
  <Company>99</Company>
  <RegistrationDate>2003-06-13</RegistrationDate>
</Rut>
<Rut>
  <Id>101</Id>
  <Ean>8591824010105</Ean>
  <VatNo>25702556</VatNo>
  <Company>101</Company>
  <RegistrationDate>2001-12-10</RegistrationDate>
</Rut>

```

```
<Rut>
  <Id>283</Id>
  <Ean>8591824028308</Ean>
  <Eic>27XG-CENTROPOL-P</Eic>
  <VatNo>25458302</VatNo>
  <Company>283</Company>
  <RegistrationDate>2003-04-14</RegistrationDate>
  <SubjectSettlementDateElectricityFrom>2007-10-
31</SubjectSettlementDateElectricityFrom>
  <SubjectSettlementDateElectricityTo>2013-03-
01</SubjectSettlementDateElectricityTo>
  <DamElectricityValidityFrom>2007-10-
31</DamElectricityValidityFrom>
  <DamElectricityValidityTo>2013-03-
01</DamElectricityValidityTo>
</Rut>
</Result>
</GetRutListResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

1.3.3 GetDamPriceE (previous GetOKOCenyHod)

Returns energy and price (EUR) per hours from electricity day market for given period.

Input parameters

- StartDate – date from
- EndDate – date to
- StartHour - hour from
- EndHour - hour to
- InEur – optional parameter boolean type. If is set True, the service returns price (EUR) rounded at 2 decimal places, else returns price (CZK). Price in CZK is calculated according to ČNB exchange rate from date, which is equal (or older) than delivery day.

Output structure with elements:

- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- Hour – Hour No.
- Price - Price [EUR/MWh]
- Volume - traded volume [MWh]

Example - Input request:

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```
<?xml version="1.0" encoding="UTF-8" ?>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetDamPriceE>
      <pub:StartDate>2010-01-01</pub:StartDate>
      <pub:EndDate>2010-01-02</pub:EndDate>
      <!--Optional:-->
      <pub:StartHour>1</pub:StartHour>
      <!--Optional:-->
      <pub:EndHour>24</pub:EndHour>
      <!--Optional:-->
      <pub:InEur>false</pub:InEur>
    </pub:GetDamPriceE>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – Output:

```
<?xml version="1.0" encoding="UTF-8" ?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetDamPriceEResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <Item>
          <Date>2010-01-01</Date>
          <Hour>1</Hour>
          <Price>52.8</Price>
          <Volume>325.7</Volume>
        </Item>
        <Item>
          <Date>2010-01-01</Date>
          <Hour>2</Hour>
          <Price>26.4</Price>
          <Volume>311.4</Volume>
        </Item>
        <Item>
          <Date>2010-01-01</Date>
          <Hour>3</Hour>
          <Price>0.264</Price>
          <Volume>333.9</Volume>
        </Item>
        <Item>
          <Date>2010-01-01</Date>
          <Hour>4</Hour>
          <Price>0.264</Price>
          <Volume>257.6</Volume>
        </Item>
        <Item>
          <Date>2010-01-01</Date>
          <Hour>5</Hour>
          <Price>0.264</Price>
```



```
    <Volume>207.6</Volume>
  </Item>
  <Item>
    <Date>2010-01-01</Date>
    <Hour>6</Hour>
    <Price>0.264</Price>
    <Volume>380.2</Volume>
  </Item>
  <Item>
    <Date>2010-01-01</Date>
    <Hour>7</Hour>
    <Price>0.264</Price>
    <Volume>376.1</Volume>
  </Item>
  <Item>
    <Date>2010-01-01</Date>
    <Hour>8</Hour>
    <Price>0.264</Price>
    <Volume>279.4</Volume>
  </Item>
  <Item>
    <Date>2010-01-01</Date>
    <Hour>9</Hour>
    <Price>0.264</Price>
    <Volume>361.8</Volume>
  </Item>
  <Item>
    <Date>2010-01-01</Date>
    <Hour>10</Hour>
    <Price>0.264</Price>
    <Volume>512.7</Volume>
  </Item>
  <Item>
    <Date>2010-01-01</Date>
    <Hour>11</Hour>
    <Price>26.4</Price>
    <Volume>588</Volume>
  </Item>
  <Item>
    <Date>2010-01-01</Date>
    <Hour>12</Hour>
    <Price>26.4</Price>
    <Volume>646.7</Volume>
  </Item>
  <Item>
    <Date>2010-01-01</Date>
    <Hour>13</Hour>
    <Price>26.4</Price>
    <Volume>710.5</Volume>
  </Item>
  <Item>
    <Date>2010-01-01</Date>
    <Hour>14</Hour>
    <Price>26.4</Price>
    <Volume>539.6</Volume>
  </Item>
```

```
<Item>
  <Date>2010-01-01</Date>
  <Hour>15</Hour>
  <Price>264</Price>
  <Volume>503.4</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>16</Hour>
  <Price>396</Price>
  <Volume>478</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>17</Hour>
  <Price>615.12</Price>
  <Volume>476.1</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>18</Hour>
  <Price>872.256</Price>
  <Volume>482.2</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>19</Hour>
  <Price>924</Price>
  <Volume>481.3</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>20</Hour>
  <Price>922.152</Price>
  <Volume>484.5</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>21</Hour>
  <Price>798.6</Price>
  <Volume>434</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>22</Hour>
  <Price>396</Price>
  <Volume>393.6</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>23</Hour>
  <Price>396</Price>
  <Volume>390.8</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
```

```
<Hour>24</Hour>
<Price>26.4</Price>
<Volume>360.6</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>1</Hour>
  <Price>396.975</Price>
  <Volume>292.3</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>2</Hour>
  <Price>26.465</Price>
  <Volume>316.3</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>3</Hour>
  <Price>26.465</Price>
  <Volume>266.6</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>4</Hour>
  <Price>26.465</Price>
  <Volume>276.1</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>5</Hour>
  <Price>26.465</Price>
  <Volume>278.7</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>6</Hour>
  <Price>26.465</Price>
  <Volume>269.7</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>7</Hour>
  <Price>26.465</Price>
  <Volume>262.2</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>8</Hour>
  <Price>529.3</Price>
  <Volume>293.7</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>9</Hour>
  <Price>793.95</Price>
```

```
<Volume>252.3</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>10</Hour>
  <Price>952.74</Price>
  <Volume>301.9</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>11</Hour>
  <Price>1124.2332</Price>
  <Volume>356.6</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>12</Hour>
  <Price>1170.2823</Price>
  <Volume>389.7</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>13</Hour>
  <Price>1208.3919</Price>
  <Volume>388.6</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>14</Hour>
  <Price>1095.651</Price>
  <Volume>410.2</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>15</Hour>
  <Price>1047.22005</Price>
  <Volume>360.4</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>16</Hour>
  <Price>947.9763</Price>
  <Volume>374.5</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>17</Hour>
  <Price>1200.9817</Price>
  <Volume>422.9</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>18</Hour>
  <Price>1423.817</Price>
  <Volume>470.1</Volume>
</Item>
```

```
<Item>
  <Date>2010-01-02</Date>
  <Hour>19</Hour>
  <Price>1471.71865</Price>
  <Volume>462.6</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>20</Hour>
  <Price>1378.03255</Price>
  <Volume>401.4</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>21</Hour>
  <Price>1259.734</Price>
  <Volume>446.7</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>22</Hour>
  <Price>1045.8968</Price>
  <Volume>436.3</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>23</Hour>
  <Price>979.205</Price>
  <Volume>401.2</Volume>
</Item>
<Item>
  <Date>2010-01-02</Date>
  <Hour>24</Hour>
  <Price>793.95</Price>
  <Volume>384.5</Volume>
</Item>
</Result>
</GetDamPriceEResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

1.3.4 GetDamAllE (previous GetDAMPriceHour)

Returns results of settlement common day market CZ-SK.

Input parameters:

- StartDate – date from
- EndDate – date to
- StartHour - hour from
- EndHour - hour to

- InEur – optional parameter boolean type. If is set True, the service returns price (EUR) rounded at 2 decimal places, else returns price (CZK). Price in CZK is calculated according to ČNB exchange rate from date, which is equal (or older) than delivery day.

Output structure with elements:

- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- Hour – Hour No.
- PriceCZ – Price CZ [EUR/MWh]
- VolumeCZ – traded volume CZ [MWh]
- FlowCZSK – Border-crossing flow CZ->SK [MWh]
- FlowSKCR – Border-crossing flow SK->CZ [MWh]
- ImportCZ – SK->CZ MCC [MWh]
- ExportCZ – CZ->SK MCC [MWh]

Example - Input request:

```
<?xml version="1.0" encoding="utf-8" ?>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetDamAlle>
      <pub:StartDate>2012-05-30</pub:StartDate>
      <pub:EndDate>2010-05-30</pub:EndDate>
      <!--Optional:-->
      <pub:StartHour>1</pub:StartHour>
      <!--Optional:-->
      <pub:EndHour>25</pub:EndHour>
      <!--Optional:-->
      <pub:InEur>>false</pub:InEur>
    </pub:GetDamAlle>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – Output:

```
<?xml version="1.0" encoding="utf-8" ?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetDamAllEResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```
<Item>
  <Date>2012-05-30</Date>
  <Hour>1</Hour>
  <PriceCZ>-3000</PriceCZ>
  <VolumeCZ>300</VolumeCZ>
  <FlowCZSK>100.0</FlowCZSK>
  <FlowSKCR>0.0</FlowSKCR>
  <ImportCZ>100.0</ImportCZ>
  <ExportCZ>100.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>2</Hour>
  <PriceCZ>-3000</PriceCZ>
  <VolumeCZ>300</VolumeCZ>
  <FlowCZSK>100.0</FlowCZSK>
  <FlowSKCR>0.0</FlowSKCR>
  <ImportCZ>100.0</ImportCZ>
  <ExportCZ>100.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>3</Hour>
  <PriceCZ>-3000</PriceCZ>
  <VolumeCZ>120</VolumeCZ>
  <FlowCZSK>20.0</FlowCZSK>
  <FlowSKCR>0.0</FlowSKCR>
  <ImportCZ>100.0</ImportCZ>
  <ExportCZ>100.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>4</Hour>
  <PriceCZ>-3000</PriceCZ>
  <VolumeCZ>200</VolumeCZ>
  <FlowCZSK>100.0</FlowCZSK>
  <FlowSKCR>0.0</FlowSKCR>
  <ImportCZ>100.0</ImportCZ>
  <ExportCZ>100.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>5</Hour>
  <PriceCZ>2230</PriceCZ>
  <VolumeCZ>220</VolumeCZ>
  <FlowCZSK>0.0</FlowCZSK>
  <FlowSKCR>100.0</FlowSKCR>
  <ImportCZ>100.0</ImportCZ>
  <ExportCZ>100.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>6</Hour>
  <PriceCZ>3000</PriceCZ>
  <VolumeCZ>102.9</VolumeCZ>
  <FlowCZSK>0.0</FlowCZSK>
```

```
<FlowSKCR>32.9</FlowSKCR>
<ImportCZ>100.0</ImportCZ>
<ExportCZ>100.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>7</Hour>
  <PriceCZ>3000</PriceCZ>
  <VolumeCZ>140</VolumeCZ>
  <FlowCZSK>40.0</FlowCZSK>
  <FlowSKCR>0.0</FlowSKCR>
  <ImportCZ>200.0</ImportCZ>
  <ExportCZ>200.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>8</Hour>
  <PriceCZ>3000</PriceCZ>
  <VolumeCZ>150</VolumeCZ>
  <FlowCZSK>0.0</FlowCZSK>
  <FlowSKCR>50.0</FlowSKCR>
  <ImportCZ>50.0</ImportCZ>
  <ExportCZ>50.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>9</Hour>
  <PriceCZ>0</PriceCZ>
  <VolumeCZ>0</VolumeCZ>
  <FlowCZSK>0.0</FlowCZSK>
  <FlowSKCR>0.0</FlowSKCR>
  <ImportCZ>0.0</ImportCZ>
  <ExportCZ>0.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>10</Hour>
  <PriceCZ>0</PriceCZ>
  <VolumeCZ>0</VolumeCZ>
  <FlowCZSK>0.0</FlowCZSK>
  <FlowSKCR>0.0</FlowSKCR>
  <ImportCZ>0.0</ImportCZ>
  <ExportCZ>0.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>11</Hour>
  <PriceCZ>0</PriceCZ>
  <VolumeCZ>0</VolumeCZ>
  <FlowCZSK>0.0</FlowCZSK>
  <FlowSKCR>0.0</FlowSKCR>
  <ImportCZ>0.0</ImportCZ>
  <ExportCZ>0.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
```



```

    <Hour>12</Hour>
    <PriceCZ>0</PriceCZ>
    <VolumeCZ>0</VolumeCZ>
    <FlowCZSK>0.0</FlowCZSK>
    <FlowSKCR>0.0</FlowSKCR>
    <ImportCZ>0.0</ImportCZ>
    <ExportCZ>0.0</ExportCZ>
  </Item>
  <Item>
    <Date>2012-05-30</Date>
    <Hour>13</Hour>
    <PriceCZ>0</PriceCZ>
    <VolumeCZ>0</VolumeCZ>
    <FlowCZSK>0.0</FlowCZSK>
    <FlowSKCR>0.0</FlowSKCR>
    <ImportCZ>0.0</ImportCZ>
    <ExportCZ>0.0</ExportCZ>
  </Item>
  <Item>
    <Date>2012-05-30</Date>
    <Hour>14</Hour>
    <PriceCZ>0</PriceCZ>
    <VolumeCZ>0</VolumeCZ>
    <FlowCZSK>0.0</FlowCZSK>
    <FlowSKCR>0.0</FlowSKCR>
    <ImportCZ>0.0</ImportCZ>
    <ExportCZ>0.0</ExportCZ>
  </Item>
  <Item>
    <Date>2012-05-30</Date>
    <Hour>15</Hour>
    <PriceCZ>0</PriceCZ>
    <VolumeCZ>0</VolumeCZ>
    <FlowCZSK>0.0</FlowCZSK>
    <FlowSKCR>0.0</FlowSKCR>
    <ImportCZ>0.0</ImportCZ>
    <ExportCZ>0.0</ExportCZ>
  </Item>
  <Item>
    <Date>2012-05-30</Date>
    <Hour>16</Hour>
    <PriceCZ>0</PriceCZ>
    <VolumeCZ>0</VolumeCZ>
    <FlowCZSK>0.0</FlowCZSK>
    <FlowSKCR>0.0</FlowSKCR>
    <ImportCZ>0.0</ImportCZ>
    <ExportCZ>0.0</ExportCZ>
  </Item>
  <Item>
    <Date>2012-05-30</Date>
    <Hour>17</Hour>
    <PriceCZ>0</PriceCZ>
    <VolumeCZ>0</VolumeCZ>
    <FlowCZSK>0.0</FlowCZSK>
    <FlowSKCR>0.0</FlowSKCR>
    <ImportCZ>0.0</ImportCZ>

```

```

        <ExportCZ>0.0</ExportCZ>
    </Item>
    <Item>
        <Date>2012-05-30</Date>
        <Hour>18</Hour>
        <PriceCZ>0</PriceCZ>
        <VolumeCZ>0</VolumeCZ>
        <FlowCZSK>0.0</FlowCZSK>
        <FlowSKCR>0.0</FlowSKCR>
        <ImportCZ>0.0</ImportCZ>
        <ExportCZ>0.0</ExportCZ>
    </Item>
    <Item>
        <Date>2012-05-30</Date>
        <Hour>19</Hour>
        <PriceCZ>0</PriceCZ>
        <VolumeCZ>0</VolumeCZ>
        <FlowCZSK>0.0</FlowCZSK>
        <FlowSKCR>0.0</FlowSKCR>
        <ImportCZ>0.0</ImportCZ>
        <ExportCZ>0.0</ExportCZ>
    </Item>
    <Item>
        <Date>2012-05-30</Date>
        <Hour>20</Hour>
        <PriceCZ>0</PriceCZ>
        <VolumeCZ>0</VolumeCZ>
        <FlowCZSK>0.0</FlowCZSK>
        <FlowSKCR>0.0</FlowSKCR>
        <ImportCZ>0.0</ImportCZ>
        <ExportCZ>0.0</ExportCZ>
    </Item>
    <Item>
        <Date>2012-05-30</Date>
        <Hour>21</Hour>
        <PriceCZ>0</PriceCZ>
        <VolumeCZ>0</VolumeCZ>
        <FlowCZSK>0.0</FlowCZSK>
        <FlowSKCR>0.0</FlowSKCR>
        <ImportCZ>0.0</ImportCZ>
        <ExportCZ>0.0</ExportCZ>
    </Item>
    <Item>
        <Date>2012-05-30</Date>
        <Hour>22</Hour>
        <PriceCZ>0</PriceCZ>
        <VolumeCZ>0</VolumeCZ>
        <FlowCZSK>0.0</FlowCZSK>
        <FlowSKCR>0.0</FlowSKCR>
        <ImportCZ>0.0</ImportCZ>
        <ExportCZ>0.0</ExportCZ>
    </Item>
    <Item>
        <Date>2012-05-30</Date>
        <Hour>23</Hour>
        <PriceCZ>0</PriceCZ>
    
```

```
<VolumeCZ>0</VolumeCZ>
<FlowCZSK>0.0</FlowCZSK>
<FlowSKCR>0.0</FlowSKCR>
<ImportCZ>0.0</ImportCZ>
<ExportCZ>0.0</ExportCZ>
</Item>
<Item>
  <Date>2012-05-30</Date>
  <Hour>24</Hour>
  <PriceCZ>0</PriceCZ>
  <VolumeCZ>0</VolumeCZ>
  <FlowCZSK>0.0</FlowCZSK>
  <FlowSKCR>0.0</FlowSKCR>
  <ImportCZ>0.0</ImportCZ>
  <ExportCZ>0.0</ExportCZ>
</Item>
</Result>
</GetDamAllEResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

1.3.5 GetBmPriceE (previous GetBTCeny)

Returns prices and volume from block trades – electricity- for given period

Input parameters:

- StartDate – date from
- EndDate – date to
- InEur – optional parameter boolean type. If is set True, the service returns price (EUR) rounded at 2 decimal places, else returns price (CZK). Price in CZK is calculated according to ČNB exchange rate from date, which is equal (or older) than delivery day.

Output structure with elements:

- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- Product – product type (Baseload, Peakload, Offpeakload)
- Volume – traded volume [MWh]
- AveragePrice – Average price [CZK/MWh] (variant EUR/MWh)
- MinPrice – Minimal price [CZK/MWh]
- MaxPrice – Max. price [CZK/MWh]

Example - Input request:

```
<?xml version="1.0" encoding="utf-8" ?>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetBmPriceE>
      <pub:StartDate>2010-01-29</pub:StartDate>
      <pub:EndDate>2010-02-01</pub:EndDate>
      <!--Optional:-->
      <pub:InEur>false</pub:InEur>
    </pub:GetBmPriceE>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – Output:

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetBmPriceEResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <Item>
          <Date>2010-01-29</Date>
          <Product>
            <Type>BaseLoad</Type>
            <Volume>360</Volume>
            <AveragePrice>1222.0</AveragePrice>
            <MinPrice>1200.0</MinPrice>
            <MaxPrice>1230.0</MaxPrice>
          </Product>
          <Product>
            <Type>PeakLoad</Type>
            <Volume>12</Volume>
            <AveragePrice>1460.0</AveragePrice>
            <MinPrice>1460.0</MinPrice>
            <MaxPrice>1460.0</MaxPrice>
          </Product>
        </Item>
        <Item>
          <Date>2010-02-01</Date>
          <Product>
            <Type>BaseLoad</Type>
            <Volume>360</Volume>
            <AveragePrice>1286.7</AveragePrice>
            <MinPrice>1280.0</MinPrice>
            <MaxPrice>1290.0</MaxPrice>
          </Product>
          <Product>
            <Type>PeakLoad</Type>
            <Volume>12</Volume>
            <AveragePrice>1615.0</AveragePrice>
            <MinPrice>1615.0</MinPrice>
            <MaxPrice>1615.0</MaxPrice>
          </Product>
        </Item>
      </Result>
    </GetBmPriceEResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```
        </Product>
      </Item>
    </Result>
  </GetBmPriceEResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

1.3.6 GetImbalanceSettlementE(previous GetVicenaklady)

Returns results of imbalance settlement - electricity – for given period.

Input parameters:

- Version – settlement version (daily - 0, monthly - 1, final monthly - 2).
- StartDate – date from
- EndDate – date to
- StartHour – hour from
- EndHour – hour to

Output structure with elements:

- Version – settlement, possible values 0, 1, 2 (daily, monthly, final monthly)
- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- Hour – Hour No.
- SystemImbalance (MWh) – this item was missing
- Sum – Absolute Imbalances sum [MWh]
- PositiveImbalance – Positive Imbalances [MWh]
- NegativeImbalance – Negative Imbalances [MWh]
- RoundedImbalance – Rounded Imbalances [MWh]
- ReCost – RE Cost [CZK]
- ImbalanceCost – Imbalance Cost [CZK]
- SettImbalancePrice – Settlement Imbalance Price [CZK/MWh]
- SettCounterImbalancePrice – Settlement Counter Imbalance Price [CZK/MWh]

Example - Input request:

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```
<?xml version="1.0" encoding="UTF-8" ?>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetImbalanceSettlementE>
      <pub:Version>0</pub:Version>
      <pub:StartDate>2010-01-01</pub:StartDate>
      <pub:EndDate>2010-01-01</pub:EndDate>
      <!--Optional:-->
      <pub:StartHour>1</pub:StartHour>
      <!--Optional:-->
      <pub:EndHour>25</pub:EndHour>
    </pub:GetImbalanceSettlementE>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – Output:

```
<?xml version="1.0" encoding="UTF-8" ?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetImbalanceSettlementEResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <Item>
          <Version>0</Version>
          <Date>2010-01-01</Date>
          <Hour>1</Hour>
          <SystemImbalance>64.76</SystemImbalance>
          <Sum>544.86</Sum>
          <PositiveImbalance>304.81</PositiveImbalance>
          <NegativeImbalance>-240.05</NegativeImbalance>
          <RoundedImbalance>-1.55</RoundedImbalance>
          <ReCost>20752.0</ReCost>
          <ImbalanceCost>-20147.93</ImbalanceCost>
          <SettlImbalancePrice>-227.0</SettlImbalancePrice>
          <SettlCounterImbalancePrice>-
204.3</SettlCounterImbalancePrice>
        </Item>
        <Item>
          <Version>0</Version>
          <Date>2010-01-01</Date>
          <Hour>2</Hour>
          <SystemImbalance>79.72</SystemImbalance>
          <Sum>564.75</Sum>
          <PositiveImbalance>322.24</PositiveImbalance>
          <NegativeImbalance>-242.52</NegativeImbalance>
          <RoundedImbalance>-2.02</RoundedImbalance>
          <ReCost>2193.6</ReCost>
          <ImbalanceCost>-29112.3</ImbalanceCost>
          <SettlImbalancePrice>-280.0</SettlImbalancePrice>
          <SettlCounterImbalancePrice>-
252.0</SettlCounterImbalancePrice>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```

</Item>
<Item>
  <Version>0</Version>
  <Date>2010-01-01</Date>
  <Hour>3</Hour>
  <SystemImbalance>80.81</SystemImbalance>
  <Sum>577.45</Sum>
  <PositiveImbalance>329.13</PositiveImbalance>
  <NegativeImbalance>-248.32</NegativeImbalance>
  <RoundedImbalance>-1.21</RoundedImbalance>
  <ReCost>32053.2</ReCost>
  <ImbalanceCost>-29897.42</ImbalanceCost>
  <SettlImbalancePrice>-283.0</SettlImbalancePrice>
  <SettlCounterImbalancePrice>-
254.7</SettlCounterImbalancePrice>
</Item>
<Item>
  <Version>0</Version>
  <Date>2010-01-01</Date>
  <Hour>4</Hour>
  <SystemImbalance>137.76</SystemImbalance>
  <Sum>652.8</Sum>
  <PositiveImbalance>395.28</PositiveImbalance>
  <NegativeImbalance>-257.52</NegativeImbalance>
  <RoundedImbalance>-2.46</RoundedImbalance>
  <ReCost>24585.7</ReCost>
  <ImbalanceCost>-78977.55</ImbalanceCost>
  <SettlImbalancePrice>-483.0</SettlImbalancePrice>
  <SettlCounterImbalancePrice>-
434.7</SettlCounterImbalancePrice>
</Item>
<Item>
  <Version>0</Version>
  <Date>2010-01-01</Date>
  <Hour>5</Hour>
  <SystemImbalance>230.45</SystemImbalance>
  <Sum>568.29</Sum>
  <PositiveImbalance>399.37</PositiveImbalance>
  <NegativeImbalance>-168.92</NegativeImbalance>
  <RoundedImbalance>-1.16</RoundedImbalance>
  <ReCost>62530.8</ReCost>
  <ImbalanceCost>-199611.13</ImbalanceCost>
  <SettlImbalancePrice>-807.0</SettlImbalancePrice>
  <SettlCounterImbalancePrice>-
726.3</SettlCounterImbalancePrice>
</Item>
<Item>
  <Version>0</Version>
  <Date>2010-01-01</Date>
  <Hour>6</Hour>
  <SystemImbalance>283.83</SystemImbalance>
  <Sum>606.87</Sum>
  <PositiveImbalance>445.35</PositiveImbalance>
  <NegativeImbalance>-161.52</NegativeImbalance>
  <RoundedImbalance>-2.13</RoundedImbalance>
  <ReCost>17444.0</ReCost>

```

```

        <ImbalanceCost>-298177.34</ImbalanceCost>
        <SettlImbalancePrice>-994.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
894.6</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>7</Hour>
        <SystemImbalance>377.97</SystemImbalance>
        <Sum>809.49</Sum>
        <PositiveImbalance>593.73</PositiveImbalance>
        <NegativeImbalance>-215.76</NegativeImbalance>
        <RoundedImbalance>-2.67</RoundedImbalance>
        <ReCost>75602.8</ReCost>
        <ImbalanceCost>-528604.65</ImbalanceCost>
        <SettlImbalancePrice>-1323.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
1190.7</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>8</Hour>
        <SystemImbalance>431.97</SystemImbalance>
        <Sum>943.05</Sum>
        <PositiveImbalance>687.51</PositiveImbalance>
        <NegativeImbalance>-255.54</NegativeImbalance>
        <RoundedImbalance>-2.87</RoundedImbalance>
        <ReCost>245576.2</ReCost>
        <ImbalanceCost>-691771.75</ImbalanceCost>
        <SettlImbalancePrice>-1512.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
1360.8</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>9</Hour>
        <SystemImbalance>402.58</SystemImbalance>
        <Sum>902.6</Sum>
        <PositiveImbalance>652.59</PositiveImbalance>
        <NegativeImbalance>-250.01</NegativeImbalance>
        <RoundedImbalance>-2.18</RoundedImbalance>
        <ReCost>279374.1</ReCost>
        <ImbalanceCost>-602887.94</ImbalanceCost>
        <SettlImbalancePrice>-1410.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
1269.0</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>10</Hour>
        <SystemImbalance>341.93</SystemImbalance>
        <Sum>839.95</Sum>

```



```

        <PositiveImbalance>590.94</PositiveImbalance>
        <NegativeImbalance>-249.01</NegativeImbalance>
        <RoundedImbalance>-2.12</RoundedImbalance>
        <ReCost>209447.1</ReCost>
        <ImbalanceCost>-515389.41</ImbalanceCost>
        <SettlImbalancePrice>-1405.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
1264.5</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>11</Hour>
        <SystemImbalance>225.59</SystemImbalance>
        <Sum>748.73</Sum>
        <PositiveImbalance>487.16</PositiveImbalance>
        <NegativeImbalance>-261.57</NegativeImbalance>
        <RoundedImbalance>-1.99</RoundedImbalance>
        <ReCost>94409.6</ReCost>
        <ImbalanceCost>-353702.15</ImbalanceCost>
        <SettlImbalancePrice>-1405.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
1264.5</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>12</Hour>
        <SystemImbalance>198.76</SystemImbalance>
        <Sum>772.36</Sum>
        <PositiveImbalance>485.56</PositiveImbalance>
        <NegativeImbalance>-286.8</NegativeImbalance>
        <RoundedImbalance>-2.27</RoundedImbalance>
        <ReCost>58195.7</ReCost>
        <ImbalanceCost>-158302.28</ImbalanceCost>
        <SettlImbalancePrice>-696.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
626.4</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>13</Hour>
        <SystemImbalance>119.9</SystemImbalance>
        <Sum>737.76</Sum>
        <PositiveImbalance>428.83</PositiveImbalance>
        <NegativeImbalance>-308.93</NegativeImbalance>
        <RoundedImbalance>-2.4</RoundedImbalance>
        <ReCost>54250.6</ReCost>
        <ImbalanceCost>-63332.18</ImbalanceCost>
        <SettlImbalancePrice>-420.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
378.0</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>

```

```

        <Date>2010-01-01</Date>
        <Hour>14</Hour>
        <SystemImbalance>145.25</SystemImbalance>
        <Sum>660.73</Sum>
        <PositiveImbalance>402.99</PositiveImbalance>
        <NegativeImbalance>-257.74</NegativeImbalance>
        <RoundedImbalance>-1.75</RoundedImbalance>
        <ReCost>18951.5</ReCost>
        <ImbalanceCost>-87053.1</ImbalanceCost>
        <SettlImbalancePrice>-509.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
458.1</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>15</Hour>
        <SystemImbalance>195.17</SystemImbalance>
        <Sum>681.22</Sum>
        <PositiveImbalance>438.2</PositiveImbalance>
        <NegativeImbalance>-243.03</NegativeImbalance>
        <RoundedImbalance>-2.47</RoundedImbalance>
        <ReCost>33812.0</ReCost>
        <ImbalanceCost>-150118.64</ImbalanceCost>
        <SettlImbalancePrice>-684.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
615.6</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>16</Hour>
        <SystemImbalance>129.72</SystemImbalance>
        <Sum>593.45</Sum>
        <PositiveImbalance>361.59</PositiveImbalance>
        <NegativeImbalance>-231.87</NegativeImbalance>
        <RoundedImbalance>-1.92</RoundedImbalance>
        <ReCost>15409.3</ReCost>
        <ImbalanceCost>-69572.55</ImbalanceCost>
        <SettlImbalancePrice>-455.0</SettlImbalancePrice>
        <SettlCounterImbalancePrice>-
409.5</SettlCounterImbalancePrice>
    </Item>
    <Item>
        <Version>0</Version>
        <Date>2010-01-01</Date>
        <Hour>17</Hour>
        <SystemImbalance>86.9</SystemImbalance>
        <Sum>518.44</Sum>
        <PositiveImbalance>302.67</PositiveImbalance>
        <NegativeImbalance>-215.77</NegativeImbalance>
        <RoundedImbalance>-2.9</RoundedImbalance>
        <ReCost>21948.3</ReCost>
        <ImbalanceCost>-33084.33</ImbalanceCost>
        <SettlImbalancePrice>-305.0</SettlImbalancePrice>

```

```

                <SettlCounterImbalancePrice>-
274.5</SettlCounterImbalancePrice>
            </Item>
            <Item>
                <Version>0</Version>
                <Date>2010-01-01</Date>
                <Hour>18</Hour>
                <SystemImbalance>116.66</SystemImbalance>
                <Sum>592.5</Sum>
                <PositiveImbalance>354.58</PositiveImbalance>
                <NegativeImbalance>-237.92</NegativeImbalance>
                <RoundedImbalance>-1.95</RoundedImbalance>
                <ReCost>8343.2</ReCost>
                <ImbalanceCost>-57442.58</ImbalanceCost>
                <SettlImbalancePrice>-409.0</SettlImbalancePrice>
            <SettlCounterImbalancePrice>-
368.1</SettlCounterImbalancePrice>
            </Item>
            <Item>
                <Version>0</Version>
                <Date>2010-01-01</Date>
                <Hour>19</Hour>
                <SystemImbalance>170.58</SystemImbalance>
                <Sum>639.67</Sum>
                <PositiveImbalance>405.12</PositiveImbalance>
                <NegativeImbalance>-234.54</NegativeImbalance>
                <RoundedImbalance>-2.98</RoundedImbalance>
                <ReCost>54005.5</ReCost>
                <ImbalanceCost>-116033.11</ImbalanceCost>
                <SettlImbalancePrice>-598.0</SettlImbalancePrice>
            <SettlCounterImbalancePrice>-
538.2</SettlCounterImbalancePrice>
            </Item>
            <Item>
                <Version>0</Version>
                <Date>2010-01-01</Date>
                <Hour>20</Hour>
                <SystemImbalance>86.12</SystemImbalance>
                <Sum>550.04</Sum>
                <PositiveImbalance>318.08</PositiveImbalance>
                <NegativeImbalance>-231.96</NegativeImbalance>
                <RoundedImbalance>-2.03</RoundedImbalance>
                <ReCost>20067.6</ReCost>
                <ImbalanceCost>-33015.43</ImbalanceCost>
                <SettlImbalancePrice>-302.0</SettlImbalancePrice>
            <SettlCounterImbalancePrice>-
271.8</SettlCounterImbalancePrice>
            </Item>
            <Item>
                <Version>0</Version>
                <Date>2010-01-01</Date>
                <Hour>21</Hour>
                <SystemImbalance>25.64</SystemImbalance>
                <Sum>498.49</Sum>
                <PositiveImbalance>262.07</PositiveImbalance>
                <NegativeImbalance>-236.43</NegativeImbalance>

```

```
<RoundedImbalance>-2.44</RoundedImbalance>
<ReCost>31526.6</ReCost>
<ImbalanceCost>-4435.35</ImbalanceCost>
<SettlImbalancePrice>-90.0</SettlImbalancePrice>
<SettlCounterImbalancePrice>-
81.0</SettlCounterImbalancePrice>
</Item>
<Item>
  <Version>0</Version>
  <Date>2010-01-01</Date>
  <Hour>22</Hour>
  <SystemImbalance>36.18</SystemImbalance>
  <Sum>461.07</Sum>
  <PositiveImbalance>248.63</PositiveImbalance>
  <NegativeImbalance>-212.45</NegativeImbalance>
  <RoundedImbalance>-1.88</RoundedImbalance>
  <ReCost>92193.5</ReCost>
  <ImbalanceCost>-7293.05</ImbalanceCost>
  <SettlImbalancePrice>-127.0</SettlImbalancePrice>
  <SettlCounterImbalancePrice>-
114.3</SettlCounterImbalancePrice>
</Item>
<Item>
  <Version>0</Version>
  <Date>2010-01-01</Date>
  <Hour>23</Hour>
  <SystemImbalance>-2.63</SystemImbalance>
  <Sum>442.77</Sum>
  <PositiveImbalance>220.07</PositiveImbalance>
  <NegativeImbalance>-222.7</NegativeImbalance>
  <RoundedImbalance>-2.56</RoundedImbalance>
  <ReCost>113503.0</ReCost>
  <ImbalanceCost>-58255.11</ImbalanceCost>
  <SettlImbalancePrice>2364.0</SettlImbalancePrice>
<SettlCounterImbalancePrice>2127.6</SettlCounterImbalancePrice>
</Item>
<Item>
  <Version>0</Version>
  <Date>2010-01-01</Date>
  <Hour>24</Hour>
  <SystemImbalance>28.41</SystemImbalance>
  <Sum>492.87</Sum>
  <PositiveImbalance>260.64</PositiveImbalance>
  <NegativeImbalance>-232.23</NegativeImbalance>
  <RoundedImbalance>-2.11</RoundedImbalance>
  <ReCost>-12078.1</ReCost>
  <ImbalanceCost>-5162.99</ImbalanceCost>
  <SettlImbalancePrice>-100.0</SettlImbalancePrice>
  <SettlCounterImbalancePrice>-
90.0</SettlCounterImbalancePrice>
</Item>
</Result>
</GetImbalanceSettlementEResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

1.3.7 GetImPriceE (new)

Returns prices and volume Intra-day electricity market for given period.

Input parameters:

- StartDate – date from
- EndDate – date to
- StartHour - hour from
- EndHour - hour to

Output structure with elements:

- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- Hour – Hour No.
- Price - Price [CZK/MWh]
- Volume – Traded volume [MWh]

Example - Input request:

```
<?xml version="1.0" encoding="UTF-8" ?>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetImPriceE>
      <pub:StartDate>2010-01-01</pub:StartDate>
      <pub:EndDate>2010-01-01</pub:EndDate>
      <!--Optional:-->
      <pub:StartHour>1</pub:StartHour>
      <!--Optional:-->
      <pub:EndHour>24</pub:EndHour>
    </pub:GetImPriceE>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – Output:

```
<?xml version="1.0" encoding="UTF-8" ?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetImPriceEResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <Item>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```
<Date>2010-01-01</Date>
<Hour>1</Hour>
<Price>0.0</Price>
<Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>2</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>3</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>4</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>5</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>6</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>7</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>8</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>9</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>10</Hour>
```

```
<Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>11</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>12</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>13</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>14</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>15</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>16</Hour>
  <Price>1000.0</Price>
  <Volume>3.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>17</Hour>
  <Price>1000.0</Price>
  <Volume>3.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>18</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>19</Hour>
  <Price>1.0</Price>
  <Volume>0.5</Volume>
```

```
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>20</Hour>
  <Price>0.0</Price>
  <Volume>0.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>21</Hour>
  <Price>1000.0</Price>
  <Volume>3.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>22</Hour>
  <Price>1080.0</Price>
  <Volume>15.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>23</Hour>
  <Price>1125.0</Price>
  <Volume>8.0</Volume>
</Item>
<Item>
  <Date>2010-01-01</Date>
  <Hour>24</Hour>
  <Price>1059.4</Price>
  <Volume>8.0</Volume>
</Item>
</Result>
</GetImPriceEResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

1.3.8 GetDamPriceG (new)

Returns prices and volume day-ahead gas market for given period.

Input parameters:

- StartDate – date from
- EndDate – date to

Output structure with elements:

- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- Session – session specification – AM/PM/DM
- Price - Price [EUR/MWh]

- Volume – Traded volume [MWh]

Example - Input request:

```
<?xml version="1.0" encoding="UTF-8" ?>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetDamPriceG>
      <pub:StartDate>2010-07-23</pub:StartDate>
      <pub:EndDate>2010-07-24</pub:EndDate>
    </pub:GetDamPriceG>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – Output:

```
<?xml version="1.0" encoding="UTF-8" ?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetDamPriceGResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <Item>
          <Date>2010-07-23</Date>
          <Session>AM</Session>
          <Price>0.0</Price>
          <Volume>0.0</Volume>
        </Item>
        <Item>
          <Date>2010-07-23</Date>
          <Session>PM</Session>
          <Price>0.0</Price>
          <Volume>0.0</Volume>
        </Item>
        <Item>
          <Date>2010-07-24</Date>
          <Session>AM</Session>
          <Price>20.5</Price>
          <Volume>30.0</Volume>
        </Item>
        <Item>
          <Date>2010-07-24</Date>
          <Session>PM</Session>
          <Price>0.0</Price>
          <Volume>0.0</Volume>
        </Item>
      </Result>
    </GetDamPriceGResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

1.3.9 GetImPriceG (new)

Returns prices and volume Intra-day gas market for given period.

Input parameters:

- StartDate – date from
- EndDate – date to

Output structure with elements:

- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- Price - Price [EUR/MWh]
- Volume – Traded volume [MWh]
- MinPrice – Minimal price [EUR/MWh]
- MaxPrice – Maximal price [EUR/MWh]

Example - Input request:

```
<?xml version="1.0" encoding="UTF-8" ?>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetImPriceG>
      <pub:StartDate>2010-07-22</pub:StartDate>
      <pub:EndDate>2010-07-23</pub:EndDate>
    </pub:GetImPriceG>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – Output:

```
<?xml version="1.0" encoding="UTF-8" ?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetImPriceGResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <Item>
          <Date>2010-07-22</Date>
          <Price>20.5</Price>
          <Volume>35.0</Volume>
          <MinPrice>20.5</MinPrice>
          <MaxPrice>20.5</MaxPrice>
        </Item>
      </Result>
    </GetImPriceGResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

```
<Date>2010-07-23</Date>
<Price>20.25</Price>
<Volume>50.0</Volume>
<MinPrice>20.25</MinPrice>
<MaxPrice>20.25</MaxPrice>
</Item>
</Result>
</GetImPriceGResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

1.3.10 GetImbalanceSettlementG

Returns results of imbalance settlement - gas - for given period.

Input parameters:

- Version – settlement version (daily - 0, monthly - 1, final monthly - 2).
- StartDate – date from
- EndDate – date to

Output structure with elements:

- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- Version – settlement version (daily - 0, monthly - 1, final monthly - 2)
- SystemImbalance – System Imbalance [MWh]
- PositiveImbalance – Positive Imbalance [MWh]
- NegativeImbalance – Negative Imbalance [MWh]
- TransferTsDs – Flow from PS to DS [MWh]
- BalancingGasPrice – Balancing Gas Price [EUR/MWh]
- CnbRate – ČNB exchange rate [CZK/EUR]
- BalancingGasSettlPrice – Balancing Gas Settlement price [CZK/MWh]
- MissingBalancingGasPrice – Missing Balancing Gas price [CZK/MWh]
- ExcessiveBalancingGasPrice – Excessive Balancing Gas price [CZK/MWh]
- Difference – Difference nominations natural balancing and its maximum value. [MWh]
- OffToleranceDeviationPrice – Off Tolerance Deviation price [CZK/MWh]

Example - Input request:

```
<?xml version="1.0" encoding="UTF-8" ?>
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetImbalanceSettlementG>
      <pub:Version>0</pub:Version>
      <pub:StartDate>2010-07-22</pub:StartDate>
      <pub:EndDate>2010-07-23</pub:EndDate>
    </pub:GetImbalanceSettlementG>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – Output:

```
<?xml version="1.0" encoding="UTF-8" ?>
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetImbalanceSettlementGResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <Item>
          <Date>2010-07-27</Date>
          <Version>0</Version>
          <SystemImbalance>-12754.413</SystemImbalance>
          <PositiveImbalance>2270.005</PositiveImbalance>
          <NegativeImbalance>-15024.418</NegativeImbalance>
          <TransferTsDs>-93747.354</TransferTsDs>
          <BalancingGasPrice>17.5</BalancingGasPrice>
          <CnbRate>24.99</CnbRate>
          <BalancingGasSettlPrice>437.24</BalancingGasSettlPrice>

          <MissingBalancingGasPrice>587.15</MissingBalancingGasPrice>

          <ExcessiveBalancingGasPrice>287.33</ExcessiveBalancingGasPrice>
          <Difference>0.0</Difference>

          <OffToleranceDeviationPrice>120.81</OffToleranceDeviationPrice>
        </Item>
        <Item>
          <Date>2010-07-28</Date>
          <Version>0</Version>
          <SystemImbalance>-2972.295</SystemImbalance>
          <PositiveImbalance>1002.233</PositiveImbalance>
          <NegativeImbalance>-3974.528</NegativeImbalance>
          <BalancingGasPrice>0.0</BalancingGasPrice>
          <CnbRate>0.0</CnbRate>
          <BalancingGasSettlPrice>0.0</BalancingGasSettlPrice>

          <MissingBalancingGasPrice>0.0</MissingBalancingGasPrice>
```

2016 OTE, a.s.

 Revize dne:
3.8.2016

 Document name:
User manual web services OTE

```

<ExcessiveBalancingGasPrice>0.0</ExcessiveBalancingGasPrice>
      <Difference>0.0</Difference>

<OffToleranceDeviationPrice>89.51</OffToleranceDeviationPrice>
      </Item>
    </Result>
  </GetImbalanceSettlementGResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
  
```

1.3.11 GetImbalanceNCBALSettlementG (new)

Returns results of imbalance settlement NC Bal - gas - for given period.

Input parameters:

- Version – settlement version (daily - 0, monthly - 1, final monthly - 2).
- StartDate – date from
- EndDate – date to

Output structure with elements:

- Date - date according to W3C (<http://www.w3.org/TR/2004/REC-xmlschema-2-20041028/datatypes.html#date>)
- Version – settlement version (daily - 0, monthly - 1, final monthly - 2)
- SystemImbalance – System Imbalance [MWh]
- PositiveImbalance – Positive Imbalance [MWh]
- NegativeImbalance – Negative Imbalance [MWh]
- TransferTsDs – Flow from PS to DS [MWh]
- CnbRate – ČNB exchange rate [CZK/EUR]
- IndexOTE [EUR/MWh]
- PositiveImbalancePriceCZK (CZK/MWh) – Applicable price for positive imbalance quantity (Kč/MWh)
- NegativeImbalancePriceCZK (CZK/MWh) - Applicable price for negative imbalance quantity (Kč/MWh)
- PositiveImbalancePriceEUR (EUR/MWh) - Applicable price for positive imbalance quantity (EUR/MWh)
- NegativeImbalancePriceEUR (EUR/MWh) - Applicable price for negative imbalance quantity (EUR/MWh)

2016 OTE, a.s.

Revize dne:
3.8.2016

Document name:
User manual web services OTE

- MonthBalancingGasPrice (CZK) - Month balancing gas price (CZK)

Example - Input request:

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:pub="http://www.ote-cr.cz/schema/service/public">
  <soapenv:Header/>
  <soapenv:Body>
    <pub:GetImbalanceNCBALSettlementG>
      <pub:Version>0</pub:Version>
      <pub:StartDate>2016-07-01</pub:StartDate>
      <pub:EndDate>2016-07-01</pub:EndDate>
    </pub:GetImbalanceNCBALSettlementG>
  </soapenv:Body>
</soapenv:Envelope>
```

Example – Output:

```
<SOAP-ENV:Envelope SOAP-
ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Body>
    <GetImbalanceNCBALSettlementGResponse xmlns="http://www.ote-
cr.cz/schema/service/public">
      <Result>
        <Item>
          <Date>2016-07-01</Date>
          <Version>0</Version>
          <SystemImbalance>-13932.541</SystemImbalance>
          <PositiveImbalance>3179.884</PositiveImbalance>
          <NegativeImbalance>-17112.762</NegativeImbalance>
          <TransferTsDs>0.0</TransferTsDs>
          <CnbRate>27.025</CnbRate>
          <IndexOTE>11.55</IndexOTE>

          <PositiveImbalancePriceCZK>305.896</PositiveImbalancePriceCZK>

          <NegativeImbalancePriceCZK>316.63</NegativeImbalancePriceCZK>

          <PositiveImbalancePriceEUR>11.319</PositiveImbalancePriceEUR>

          <NegativeImbalancePriceEUR>11.716</NegativeImbalancePriceEUR>
          <MonthBalancingGasPrice>234.567</MonthBalancingGasPrice>
        </Item>
      </Result>
    </GetImbalanceNCBALSettlementGResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```